

14 References

- AAPFCO, 2014. Fertilizer Sales Data 1985 – 2012. Association of American Plant Food Control Officials. Columbia, MO, 2014.
- Aber, J.D., C.L. Goodale, S.V. Ollinger, M.L. Smith, A.H. Magill, M.E. Martin, R.A. Hallett, and J.L. Stoddard. 2003. Is nitrogen deposition altering the nitrogen status of northern forests? *Bioscience* 53(4):375–389.
- Aber, J.D., K.J. Nadelhoffer, P. Steudler, and J.M. Melillo. 1989. Nitrogen saturation in northern forest ecosystems *Bioscience* 39(6):378–386.
- Alam, Md Jahangir, Jonathan L. Goodall, Benjamin D. Bowes, and Evan H. Girvetz, 2017. The Impact of Projected Climate Change Scenarios on Nitrogen Yield at a Regional Scale for the Contiguous United States. *Journal of the American Water Resources Association (JAWRA)* 1-17.
<https://doi.org/10.1111/1752-1688.12537>
- Alexander, R.B., R.A. Smith, G.E. Schwarz, S.D. Preston, J.W. Brakebill, R. Srinivasan, and P.A. Pacheco. 2001. Atmospheric nitrogen flux from the watersheds of major estuaries of the United States: An application of the SPARROW watershed model. In *Nitrogen Loading in Coastal Water Bodies: An Atmospheric Perspective*. American Geophysical Union. Pp.119–170. Washington, DC.
- Alexander, R.B., J.W. Brakebill, R.E. Brew, and R.A. Smith. 1999. Enhanced River Reach File 1.2 (ERF1): U.S. Geological Survey Open-File Report 99-457. <<http://water.usgs.gov/lookup/getspatial?erf1>>. Accessed November 16, 2004.
- Alexander, R.B., R.A. Smith, G.E. Schwarz, E.W. Boyer, J.V. Nolan, and J.W. Brakebill. 2008. Differences in Phosphorus and Nitrogen Delivery to the Gulf of Mexico from the Mississippi River Basin. *ES&T* 42: 822–830.
- Alexander, R.B., Böhlke, J.K., Boyer, E.W., David, M., Harvey, J.W., Mulholland, P.J., Seitzinger, S.P., Tobias, C.R., Tonitto, C., and Wollheim, W.M., 2009, Simulating temporal variations of nitrogen losses in river networks with a dynamic transport model unravels the coupled effects of hydrological and biogeochemical processes. *Biogeochemistry*, v. 93, p. 91-116.
- Alley, M.M., P. Scharf, D.E. Brann, W.E. Baethgen, and J.L. Hammons. 1996. *Nitrogen Management for Winter Wheat: Principles and Recommendations*. Virginia Cooperative Extension Publication Number 424-026. <<http://www.ext.vt.edu/pubs/grains/424-026/424-026.html>>. Updated August 1996. Accessed July 10, 2008.
- Anderson, J.R., E.E. Hardy, J.T. Roach, and R.E. Witmer. 1976. A revision of the land use classification system as presented in U.S. Geological Survey Circular 671 Geological Survey Professional Paper 964. 1976 U.S. Department of the Interior. First Printing 1976. U.S. Government Printing Office, Washington, DC
- Angle, J.S. 1985. Effect of cropping practices on sediment and nutrient runoff losses from tobacco. Scientific Article No. 7120 and Contribution No. A4135 of the Maryland Agri. Exp. Sta., Department of Agronomy. Type: Tobacco Science 109. University of Maryland, College Park, MD.
- Angle, J.S., G. McClung, M.S. McIntosh, P.M. Thomas, and D.C. Wolf. 1984. Nutrient losses in runoff from conventional and no-till corn watersheds *Journal of Environmental Quality* 13(3):431–435.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Angstadt, W. and E. Horsey. 2007. Understanding Fertilizer Sales and Reporting Information: Workshop Report. CBP Scientific and Technical Advisory Committee. STAC Publication 07-004, Frederick, MD. <<http://www.chesapeake.org/stac/Pubs/FertilizerReport.pdf>>. Accessed 1/8/2016.
- Arnold, J.G., S. Chinnasamy, M. Di Luzio, E.B. Haney, N. Kannan, M. White. 2010. The HUMUS/SWAT National Water Quality Modeling System. Grassland, Soil and Water Research Laboratory, USDA-ARS, Temple, TX
- Arthur, M.A., C.B. Coltharp, and D.L. Brown. 1998. Effects of best management practices on forest streamwater quality in Eastern Kentucky. *Journal of the American Water Resources Association* 34(3):481–495.
- ASABE, 2003. ASABE D384.1: Manure Production and Characteristics. February, 2003. American Society of Agricultural Engineers. St. Joseph, MI.
- ASABE, 2005. ASABE D384.2: Manure Production and Characteristics. March, 2005. American Society of Agricultural Engineers. St. Joseph, MI.
- Ator, S.W., Denver, J.M., Krantz, D.E., Newell, W.L., and Martucci, S.K., 2005. A surficial hydrogeologic framework for the Mid-Atlantic Coastal Plain, U.S. Geological Survey professional paper 1680, 44 p.
- Ator, S. W., J. W. Brakebill, J. D. Blomquist. 2011. Source, fate, and transport of nitrogen and phosphorus in the Chesapeake Bay watershed: An empirical model. U. S. Geological Survey Scientific Investigations Report 2011-5167.
- Aveni, M., K. Berger, J. Champion, G. Felton, M. Goatley, W. Keeling, N. Law and S. Schwartz. 2013. Recommendations of the Expert Panel to Define Removal Rates for Urban Nutrient Management. http://www.chesapeakebay.net/documents/Final_CBP_Approved_Expert_Panel_Report_on_Urban_Nutrient_Management--short.pdf
- Baier, G.T., T. Cohn, and E. Gilroy. 1995. Instructions for Using the Estimator Software. http://www159.pair.com/cohns/TimCohn/TAC_Software/Estimator/Est_user_man04.html accessed December 30, 2010.
- Ball, S. 1998. CE Factsheet. Degree-Days: An Introduction. Guide A-227. New Mexico State University, College of Agriculture and Home Economics. October 1998.
- Band, L., K. Campbell, R. Kinerson, K. Reckhow, and C. Welty. 2005. Review of the Chesapeake Bay Watershed Modeling Effort. Scientific and Technical Advisory Committee (STAC) 05-004.
- Band, L., T. Dillaha, C. Duffy, K. Reckhow, C. Welty. 2008. Second Review of the Phase V Community Chesapeake Bay Watershed Model. Scientific and Technical Advisory Committee (STAC) 08-003.
- Beaulac, M.N., and K.W. Reckhow. 1982. An examination of land use-nutrient export relationships. *Water Resources Bulletin* 16(6):1013–1022.
- Behrendt, H., M. Venohr, U. Hirt, J. Hofmann, D. Opitz, and A. Gericke. 2007. The model system MONERIS Version 2.0 User's Manual. Leibniz Institute of Freshwater Ecology and Inland Fisheries.
- Benedict, M.M. and A. Klik. 2006. Estimating spatial sediment delivery ratio on a large rural catchment. *Journal of Spatial Hydrology* 6(1):64-80.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Berg, J., J. Burch, D. Cappuccitti, S. Filoso, L. Fraley-McNeal, D. Goerman, N. Hardman, S. Kaushal, D. Medina, M. Meyers, B. Kerr, S. Stewart, B. Sullivan, R. Walter, and J. Winters. 2014. Recommendations of the Expert Panel to Define Removal Rates for Individual Stream Restoration Projects. Chesapeake Bay Program 2014.
http://www.chesapeakebay.net/documents/Stream_Panel_Report_Final_08282014_Appendices_A_G.pdf
- Beven, K.J. 2001. Rainfall-Runoff Modelling: The Primer. John Wiley & Sons, LTD, Chichester, England.
- Beven, K. J. 1993. Prophecy, reality and uncertainty in distributed hydrological modelling. *Advances in Water Resources*, 16(1), 41-51. DOI: 10.1016/0309-1708(93)90028-E
- Bey, I., D.J. Jacob, R.M. Yantosca, J.A. Logan, B.D. Field, A.M. Fiore, Q. Li, H.Y. Liu, L.J. Mickley, and M.J. Schultz, 2001. Global modeling of tropospheric chemistry with assimilated meteorology: Model description and evaluation. *Journal of Geophysical Research* 106:23073–23096.
- Bhatt, G. 2104. Phase 6 Watershed Model Prototype: calibration, sensitivity, & key scenarios using Breakthrough Curve Approach (PQUAL Strategy). Presentation to the Modeling Workgroup. September 30, 2014. http://www.chesapeakebay.net/channel_files/21917/gopal_bhatt_-_phase_6_watershed_model_prototype_-_20140930.pdf
- Bicknell, B.R., J.C. Imhoff, J.L. Kittle, Jr., A.S. Donigian, Jr., and R. C. Johnson. 1997. Hydrological Simulation Program - Fortran (HSPF): User's Manual for Release 11. U.S. Environmental Protection Agency. EPA/600/R-97/080, 755 p. Athens, GA.
- Bicknell, B.R., J.C. Imhoff, J.L. Kittle Jr., T.H. Jobes, and A.S. Donigian Jr. 2001. Hydrologic Simulation Program—Fortran. HSPF Version 12 Users Manual. U.S. Environmental Protection Agency, Office of Research and Development, Athens, GA, and U.S. Geological Survey, Hydrologic Analysis Software Support Program, Reston, VA.
- Bicknell, B.R., J.C. Imhoff, J.L. Kittle Jr., T.H. Jobes, and A.S. Donigian Jr. 2005. Hydrological Simulation Program—FORTRAN. User's Manual for Release 12.2. U.S. Environmental Protection Agency Ecosystem Research Division, Athens, GA, and U.S. Geological Survey, Office of Surface Water, Reston, VA.
- Birch, M.B.L., B.M. Gramig, W.R. Moomaw, O.C. Doering III, and C.J. Reeling, 2011. Why metrics matter: Evaluating policy choices for reactive nitrogen in the Chesapeake Bay Watershed *Environmental Science and Technology* 45(1):168-174.
- Boesch, D.F., and J. Greer. 2003. Chesapeake Futures: Choices for the 21st Century. Chesapeake Research Consortium, Inc., Edgewater, MD.
<<http://www.chesapeakebay.net/modeling.aspx?menuitem=19303>>. Accessed March 18, 2008
- Böhlke, J.K., Antweiler, R.C., Harvey, J.W., Laursen, A.E., Smith, L.K., Smith, R.L., and Voytek, M.A., 2009, Multi-scale measurements and modeling of denitrification in streams with varying flow and nitrate concentration in the upper Mississippi River basin, USA. *Biogeochemistry*, v. 93, p. 117-141.
- Boomer, K.M.B, D.E. Weller, T.E. Jordan, L.C. Linker, Z. Liu, J. Reilly, G.W. Shenk, and A.A. Voinov 2013 Using Multiple Watershed Models to Predict Water, Nitrogen, and Phosphorus Discharges to the Patuxent Estuary. *Journal of the American Water Resources Association*. 49:1, 15-39

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Brabets, T.P. 1984. Runoff and Water Quality Characteristics of Surface Mined Lands in Illinois. Water-Resources Investigations Report 83-4265. U.S. Geological Survey, Reston, VA.
- Brakebill, J.W., and S.K. Kelley. 2000. Hydrogeomorphic Regions in the Chesapeake Bay Watershed, Version 1: U.S. Geological Survey Open-File Report 00-424.
<<http://water.usgs.gov/lookup/getspatial?hgmr>>. Accessed November 16, 2004.
- Brakebill, J.W., S.W. Ator, and G.E. Schwarz. 2010. Sources of suspended-sediment flux in streams of the Chesapeake Bay watershed: A regional application of the SPARROW model. *Journal of the American Water Resources Association*. 46:4, pp. 757-776. <https://doi.org/10.1111/j.1752-1688.2010.00450.x>
- Brandt, R.C., H.A. Elliott, and G.A. O'Connor. 2004. Water-Extractable Phosphorus in Biosolids: Implications for Land-Based Recycling". *Water Environment Research* 76:2, 121-129. March/April 2004.
- Brix, H. 1993. Wastewater treatment in constructed wetlands: system design, removal processes, and treatment performance. Pages 9-22. In *Constructed wetlands for water quality improvement*, ed. G.A. Moshiri.. Lewis Publishers, Boca Raton, FL.
- Brown, K.W., and J.C. Thomas. 1978. Uptake of N by grass from septic fields in three soils. *Agronomy Journal* 70:1037–1040.
- Bureau of Reclamation, 2013. Downscaled CMIP3 and CMIP5 Climate Projections: Release of Downscaled CMIP5 Climate Projections, Comparison with Preceding Information, and Summary of User Needs. U.S. Department of the Interior, Bureau of Reclamation, Technical Service Center, Denver, Colorado, 116 p., available at: http://gdo-dcp.ucllnl.org/downscaled_cmip_projections/techmemo/downscaled_climate.pdf
- Burpee Seed Co. Seed Catalog. English. <<http://www.burpee.com/>>. Accessed December 29, 2010.
- Butler, D.M., Ranells, N.N., Dorcas, H.F., Poore, M.H., Green, J.T. 2008. Runoff water quality from manured riparian grasslands with contrasting drainage and simulated grazing pressure. *Agriculture, Ecosystems and Environment* 126 (2008) 250-260. March, 2008.
- Byun, D. and Schere, K.L., 2006. Review of the governing equation, computational algorithms, and other components of the Models-3 Community Multiscale Air Quality (CMAQ) modeling system. *Applied Mechanics Reviews* 59(March):51-77.
- Camacho, R. 1990. Agricultural BMP Nutrient Reduction Efficiencies: Chesapeake Bay Watershed Model BMPs. ICPRB Report 90-7. Interstate Commission on the Potomac River Basin, 66p. Rockville, MD.
- Campbell, K.L. 1982. Nutrient transport from North Florida agricultural fields and watersheds. Ed. L.B. Baldwin and A.B. Bottcher. IFAS Conference on Nonpoint Pollution Control Technology, Gainesville, Florida, March 9–10, 1982.
- Cape, J.N., S.E. Cornwell, T.D. Jickells, and E. Nemitz, 2011. Organic nitrogen in the atmosphere – Where does it come from? A review of sources and methods. *Atmospheric Research* 102(2011):30-48.
- Castro, M.S., K.N. Eshleman, R.P. Morgan II, S.W. Seagle, R.H. Gardner, and L.F. Pitelka. 1997. Nitrogen dynamics in forested watersheds of the Chesapeake Bay. STAC Report Number 97-3. Scientific and Technical Advisory Committee, Frostburg, MD.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Cathey, H.M. 1998. USDA Plant Hardiness Zone Map. USDA Miscellaneous Publication No. 1475. Agricultural Research Service, U.S. National Arboretum, Washington, DC. Used to determine areas of similar planting and harvesting dates for all states.
- Cavalli, M., Trevisani, S., Comiti, F., and Marchi, L. 2013. Geomorphometric assessment of spatial sediment connectivity in small Alpine catchments. *Geomorphology* 188: 31-41.
- Center for Watershed Protection. 2013. Analysis of Stream Sediment Studies in Support of Objective 1 of the Sediment Reduction and Stream Corridor Restoration Analysis, Evaluation and Implementation Support to the Chesapeake Bay Program Partnership. Memo to Chesapeake Bay Modeling Team, September 10, 2013.
- Center for Watershed Protection. 2015. Analysis of Stream Sediment Monitoring to create a watershed characteristic regression in Support of Objective 1 of the Sediment Reduction and Stream Corridor Restoration Analysis, Evaluation and Implementation Support to the Chesapeake Bay Program Partnership. Memo to Chesapeake Bay Modeling Team, October 1, 2015.
- Cerco, C. 2000. Phytoplankton kinetics in the Chesapeake Bay Eutrophication Model. *Water Quality and Ecosystem Modeling* 1(1-4):5-49
- Cerco, C., and K. Moore. 2001. System-wide submerged aquatic vegetation model for Chesapeake Bay. *Estuaries* 24(4):522-534
- Cerco, C., and M. Meyers. 2000. Tributary refinements to Chesapeake Bay Model. *Journal of Environmental Engineering*, 126(2):164-174
- Cerco, C., and T. Cole. 1994. *Three-Dimensional Eutrophication Model of Chesapeake Bay*. Technical Report EL-94-4, U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, MS.
- Cerco, C.F. and M.R. Noel, 2017. The 2017 Chesapeake Bay Water Quality and Sediment Transport Model: A Report to the US Environmental Protection Agency Chesapeake Bay Program May 2017 Draft
- Cerco, C.F. and M.R. Noel. 2013. Twenty-One Year Simulation of Chesapeake Bay Water Quality Using the CE-QUAL-ICM Eutrophication Model. *Journal of the American Water Resources Association*, 40:1119-1133. doi:10.1111/jawr.12107
- Cerco, C.F., and M.R. Noel. 2004. *The 2002 Chesapeake Bay Eutrophication Model*. EPA 903-R-04-004. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD.
- Cerco, C.F., S-C. Kim, and M.R. Noel. 2010. The 2010 Chesapeake Bay Eutrophication Model. A Report to the US Environmental Protection Agency and to the US Army Corps of Engineer Baltimore District. US Army Engineer Research and Development Center, Vicksburg, MS.
<http://www.chesapeakebay.net/publications/title/the_2010_chesapeake_bay_eutrophication_model> Accessed March 3, 2012.
- Chen, M., W. Shi, P. Xie, V. B. S. Silva, V. E. Kousky, R. W. Higgins, and J. E. Janowiak. 2008. Assessing objective techniques for gauge-based analyses of global daily precipitation. *Journal of Geophysical Research* 113: <http://onlinelibrary.wiley.com/doi/10.1029/2007JD009132/epdf>

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Chesapeake Bay Program. 1998. Chesapeake Bay Watershed model application and calculation of nutrient and sediment loadings, Appendix I: Model Operations Manual. Chesapeake Bay Program, Annapolis, MD.
- Chesapeake Bay Program. 2013a. Estimates of County-Level Nitrogen and Phosphorus Data for Use in Modeling Pollutant Reduction: Documentation for Scenario Builder Version 2.4. Chesapeake Bay Program Office. Annapolis, MD. January, 2013.
- Chesapeake Bay Program. 2013b. Recommendations of the Expert Panel to Define Removal Rates for Urban Nutrient Management, Prepared by Chesapeake Stormwater Network, 62 p.
- Chesapeake Bay Program. 2015a. Protocol for the Development, Review, and Approval of Loading and Effectiveness Estimates for Nutrient and Sediment Controls in the Chesapeake Bay Watershed Model. Approved by the WQGIT 7/13/15.
http://www.chesapeakebay.net/channel_files/22798/cbp_bmp_expert_panel_protocol_wqgit_approved_7.13.15.pdf
- Chesapeake Bay Program 2015b. Recommendations to Estimate Poultry Nutrient Production in the Phase 6 Watershed Model: Report of the Agricultural Modeling Subcommittee to the Poultry Litter Subcommittee and Agriculture Workgroup. March, 2015.
- Chesapeake Bay Program, 2016. Climate Resiliency Workgroup. Recommendations on Incorporating Climate-Related Data Inputs and Assessments: Selection of Sea Level Rise Scenarios and Tidal Marsh Change Models. August 2016.
- Chesapeake Executive Council. 1987. *Chesapeake Bay Agreement*. Chesapeake Executive Council, Annapolis, MD.
- Chesapeake Executive Council, 2000. Chesapeake 2000– Agreement. June 28, 2000.
- Chesapeake Executive Council, 2014. Chesapeake Bay Watershed Agreement. June 16, 2014.
- Chinnasamy, S., X. Wang, J. Arnold, J. Williams, M. White, N. Kannan, and M. Diluzio. (undated) Documentation on Delivery Ratio used for CEAP Cropland Modeling for Various River Basins in the United States. NRCS
http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/16/stelprdb1045451.pdf (accessed 3/25/16)
- Claggett, P.R., and C. Bisland. 2004. Assessing the Vulnerability of Forests and Farmlands to Development in the Chesapeake Bay Watershed. In Proceedings of the IASTED International Conference Environmental Modeling and Simulation, November 22–24, 2004, St. Thomas, U.S. Virgin Islands.
- Clark, G.M., D.K. Mueller, and M.A. Mast. 2000. Nutrient concentrations and yields in undeveloped stream basins of the United States. *Journal of the American Water Resources Association* 36(4): 849–860.
- Clark, J.W., W. Viessman Jr., and M.K. Hammer. 1971. *Water Supply and Pollution Control*. International Textbook Company, Scranton, PA.
- Clark, S., M. Grose, R. Greer, A. Jarrett, S. Kunkel, D. Lake, N. Law, J. McCutcheon, R. McLaughlin, K. Mumaw and B. Young. 2014. Recommendations of the Expert Panel to Define Removal Rates for

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Erosion and Sediment Control Practices. Prepared by T. Schueler, C. Lane and J. Hanson for the Chesapeake Bay Program.
http://www.chesapeakebay.net/documents/WQGIT_APPROVED_ESC_EXPERT_PANEL_REPORT_LONG_04142014.pdf (accessed 3/23/16)
- Clarke, K.C., S. Hoppen, and L. Gaydos. 1997. A self-modifying cellular automaton model of historical urbanization in the San Francisco Bay area. *Environment and Planning B: Planning and Design* 24:247–261.
- Cohen, A.S. 1984. Effect of zoobenthic standing crop on laminae preservation in tropical lake sediment, Lake Turkana, East Africa. *Journal of Paleontology* 58:499–510.
- Cohn, T. 2002. Estimator 2002, A Beta Release.
<http://www159.pair.com/cohns/TimCohn/TAC_Software/Estimator/e2002/index.html>. Accessed December 30, 2010.
- Cohn, T., D.L. Caulder, E.J. Gilroy, L.D. Zynjuk, and R.M. Summers. 1992. The Validity of a Simple Statistical Model for Estimating Fluvial Constituent Loads: An Empirical Study Involving Nutrient Loads Entering Chesapeake Bay. *Water Resources Research*, 28(9): 2353-2364.
- Cohn, T., L.L. DeLong, E.J. Gilroy, R.M. Hirsch, and D.K. Wells. 1989. Estimating Constituent Loads. *Water Resources Research*, 25(5): 937-942.
- Commonwealth of Virginia. (2005). Virginia Nutrient Management Standards and Criteria. Virginia Department of Conservation and Recreation Division of Soil and Water Conservation
- Comstock, S., S. Crafton, R. Greer, P. Hill, D. Hirschman, S. Karimpour, K. Murin, J. Orr, F. Rose, and S. Wilkins. 2015. Recommendations of the Expert Panel to Define Removal Rates for New State Stormwater Performance Standards (revised 2015). Chesapeake Bay Program 2015.
http://www.chesapeakebay.net/documents/Final-CBP-Approved-Expert-Panel-Report-on-Stormwater-Performance-Standards-LONG_012015.pdf
- Cornell Cooperative Extension. 2001. CE Factsheet. Integrated Crop and Pest Management Guidelines for Commercial Vegetable Production. English. Cornell Cooperative Extension.
<<http://www.nysaes.cornell.edu/recommends/>>. February 1, 2001.
- Cornell Cooperative Extension. Agronomy Handbook. 2002. Cornell Guide for Integrated Field Crop Management. Cornell Cooperative Extension, Ithaca, NY. Used to determine planting and harvest dates for grain and forage crops. Also used to determine total nutrient recommendations and amounts and timing of individual nutrient applications.
- Cosgrove, B.A., D. Lohmann, K. E. Mitchell, P. R. Houser, E. F. Wood, J. C. Schaake, A. Robock, C. Marshall, J. Sheffield, Q. Duan, L. Luo, R. W. Higgins, R. T. Pinker, J. D. Tarpley, and J. Meng. 2003. Real-time and retrospective forcing in the North American Land Data Assimilation System (NLDAS) project. *Journal of Geophysical Research* 108:
<http://www.emc.ncep.noaa.gov/mmb/nldas/LDAS8th/LDASdocs/CosgroveForcing2002JD003118.pdf>
- Cox, W., and D.J. Otis. 2001. Research Paper. Soybean Variety Yield Test in 2000. Extension Series No. EO1-2. Cornell Cooperative Extension, Ithaca, NY. Used to determine soybean harvest dates for New York.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- CRC (Chesapeake Research Consortium). 1976. The Effect of Tropical Storm Agnes on the Chesapeake Bay Estuarine System. Publication No.54, November 1976. Chesapeake Research Consortium, Edgewater, MD.
- Cronin, T.M. 2000. Effects of Climate Variability and Human Activities on Chesapeake Bay and the Implications for Ecosystem Restoration. USGS FS-116-00. USGS Reston, VA.
- Cronin, T.M., and H.A. Walker. 2006. Restoring coastal ecosystems and abrupt climate change: An editorial essay. *Climatic Change* 74(4):369–376.
- Cronin, T.M., G.S. Dwyer, T. Kamiya, S. Schwede, D.A. Willard. 2003. Medieval warm period, little ice age, and the 20th century temperature variability from Chesapeake Bay. *Global and Planetary Change* 36(1–2):17–29.
- Cronin, T.M., R. Thunell, G.S. Dwyer, C. Saenger, M.E. Mann, C. Vann, and 2nd, R.R.S. 2005. Multiproxy evidence of Holocene climate variability from estuarine sediments, eastern North America. *Paleoceanography* 20(PA4006):1–21.
- Crossett, K.M., T.J. Culliton, P.C. Wiley, and T.R. Goodspeed. 2004. Population Trends along the Coastal United States: 1980–2008. National Oceanic and Atmospheric Administration Coastal Trends Report Series. National Oceanic and Atmospheric Administration, Washington, D.C.
- CTIC (Conservation Technology Information Center). 1989–2004. National Crop Residue Management Survey. <www.ctic.purdue.edu/Core4/Core4Main.html>. Accessed August 24, 2007.
- Daily, C., R. P. Neilson, and D. L. Phillips. 1994. A Statistical-Topographic Model for Mapping Climatological Precipitation over Mountainous Terrain. *Journal of Applied Meteorology* 13: 140-158. <http://journals.ametsoc.org/doi/pdf/10.1175/1520-0450%281994%290333%3C0140%3AASTMFM%3E2.0.CO%3B2>
- Daly, C., Halbleib, M., Smith, J.I., Gibson, W.P., Doggett, M.K., Taylor, G.H., Curtis, J., and Pasteris, P.A. 2008. Physiographically-sensitive mapping of temperature and precipitation across the conterminous United States. *International Journal of Climatology*, 28: 2031-2064.
- Daniel, T.C., P.E. McGuire, D. Stoffel, and B. Miller. 1979. Sediment and nutrient yield from residential construction sites. *Journal of Environmental Quality* 8(3):304–308.
- DCWASA (District of Columbia Water and Sewer Authority). 2002. Combined Sewer System Long Term Control Plan—Final Report. District of Columbia Water and Sewer Authority, Washington, DC.
- DCWASA (District of Columbia Water and Sewer Authority). 2006. Water Supply and Treatment. <<http://www.dcwasa.com/about/facilities.cfm>>. Accessed February 29, 2008.
- DeCandis, A.J., and R. Najjar. 2006. Suspended sediment in Chesapeake Bay and its potential response to climate-induced changes in streamflow. *Estuaries and Coasts* July 3, 2006.
- Delaware Department of Agriculture. Nutrient Management Guidelines. <http://www.state.de.us/deptagri/nutrients/nm_guide.shtml>. Accessed December 29, 2010.
- Demirel, Mehmet C., and Hamid Moradkhani, 2016. Assessing the impact of CMIP5 climate multi-modeling on estimating the precipitation seasonality and timing. *Climatic Change* 135:2 pp 357-372.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Dennis, R., Haeuber, R., Blett, T., Cosby, J., Driscoll, C., Sickles, J., and Johnson, J., 2007. Sulfur and nitrogen deposition on ecosystems in the United States. *Journal of the Air and Waste Management Association*. December 2007.
- Dennis, R.L., R. Mathur, J.E. Pleim, J.T. Walker, 2010. Fate of ammonia emissions at the local to regional scale as simulated by the Community Multiscale Air Quality Model, *Atmospheric Pollution Research*, 1, pp 207-214.
- Dennis, R.L. 1996. *Absolute Nitrogen Deposition from Source Regions*. Computer file prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC, by E.H. Pechan & Associates, Inc..
- Dennis, R.L. 1997. Using the Regional Acid Deposition Model to Determine the Nitrogen Deposition Airshed of the Chesapeake Bay Watershed. In *Atmospheric Deposition to the Great Lakes and Coastal Waters*, ed. J.E. Baker, pp 393–413. Society of Environmental Toxicology and Chemistry, Pensacola, FL.
- Devereux, O. 2015. Development of Phase 6 Model land use Export Rate Targets. Presentation to the Modeling Workgroup. April 22, 2015.
http://www.chesapeakebay.net/channel_files/22434/loadingrates_devereux_20150423_modelingfinal.pdf
- Dinehart, R. L. 1997. Sediment transport at gaging stations near Mount St. Helens, Washington, 1980–90. U.S. Geological Survey Professional Paper 1573. 111p.
- Dinnes, D.L. 2004. Assessments of Practices to Reduce Nitrogen and Phosphorus Nonpoint Source Pollution of Iowa’s Surface Waters. Iowa Department of Natural Resources, Des Moines, IA.
- DiPasquale, N., 2014. EPA-CBPO Response to STAC report re: climate change April 22, 2014. US EPA Chesapeake Bay Program Office. http://www.chesapeake.org/pubs/319_DiPasquale2014.pdf last accessed 4/2019.
- DiToro, D.M., and J.J. Fitzpatrick. 1993. *Chesapeake Bay sediment flux model*. NTIS No. AD A267 189. Contract Report EL-93-2. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Doherty, J. and J.M. Johnston. 2003. Methodologies for calibration and predictive analysis of a watershed model. *Journal of the American Water Resources Association* 39(2):251–265.
- Donigian, A.S. Jr., B.R. Bicknell, A.S. Patwardhan, L.C. Linker, C.H. Chang, and R. Reynolds. 1994. *Chesapeake Bay Program Watershed Model Application to Calculate Bay Nutrient Loadings*. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD.
- Donigian, A.S., Jr., B.R. Bicknell, and J.C. Imhoff. 1995. Hydrologic Simulation Program – FORTRAN (HSPF). Chapter 12 in *Computer Models of Watershed Hydrology*, ed. V.P. Singh. Water Resources Publications, Littleton, CO.
- Donigian, A.S., Jr., Imhoff, J.C., Bicknell, Brian, Kittle, J.L., Jr., 1984. Application guide for Hydrological Simulation Program--Fortran (HSPF): U.S. Environmental Protection Agency, Environmental Research Laboratory, EPA-600/3-84-065, 177 p. Athens, GA.,
- Donigian, A.S., Jr., J.C. Imhoff, and R.B. Ambrose, Jr. 1995. Modeling Watershed Water Quality. Chapter 11 in *Environmental Hydrology*, ed. V.P. Singh. Kluwer Academic Publishers, Dordrecht, The Netherlands.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Donohue, S. J. 1992. Reference soil and media diagnostic procedures for the southern region of the United States.
- Dreher, D., and T. Price. 1995. Application of urban targeting and prioritization methodology to Butterfield Creek, Cook and Will Counties, Illinois. EPA/625/R-95/003. National Conference on Urban Runoff Management—Enhancing Urban Watershed Management at the Local, County, and State Level. pp. 119–134.
- El-Khoury, A., Seidou, O., Lapen, D. R., Que, Z., Mohammadian, M., Sunohara, M., & Bahram, D. 2015. Combined impacts of future climate and land use changes on discharge, nitrogen and phosphorus loads for a Canadian river basin. *Journal of environmental management*, 151, 76-86.
- Ensign, S.H., and M.A. Mallin. 2001. Stream water quality changes following timber harvest in a coastal plain swamp forest. *Water Research* 35:3381–3390.
- Ensign, S. H., and M. W. Doyle (2006), Nutrient spiraling in streams and river networks, *J. Geophys. Res.*, 111, G04009, doi:10.1029/2005JG000114
- Entringer, R., and R. Howarth. 2009. Workshop on Atmospheric Deposition of Nitrogen: Estimating Local Emission Sources, Near-field Deposition, and Fate on the Landscape. Chesapeake Bay Program Scientific and Technical Advisory Committee. STAC Publication 09-001. <<http://www.chesapeake.org/pubs/atmosphericnitrogen.report.pdf>>. Accessed 1/8/2016.
- Eshleman K.N, R.D. Sabo, and K.M. Kline. 2013. Surface Water Quality Is Improving due to Declining Atmospheric N Deposition. *Environmental Science & Technology* 2013 47 (21), 12193-12200
- FASS, 2010. Guide for the Care and Use of Agricultural Animals in Research and Teaching: Third Edition. FASS Inc. Champaign, IL, 2010.
- Fennel, K., J. Wilkin, J. Levin, J. Moisan, J. O’Reilly, and D. Haidvogel. 2006. Nitrogen cycling in the Middle Atlantic Bight: Results from a three dimensional model for the North Atlantic nitrogen budget *Global Biogeochemical Cycles* 20(GB3007) 14 pp., 2006 doi:10.1029/2005GB002456
- Field, M. S. 1999. The QTRACER Program for Tracer-Breakthrough Curve Analysis for Karst and Fractured-Rock Aquifers. U.S. Environmental Protection Agency National Center for Environmental Assessment. Washington, DC. EPA/600/R-98/156a.
- Fisher, D., J. Ceraso, T Mathew, and M Oppenheimer, 1988. *Polluted Coastal Waters: The Role of Acid Rain*. Environmental Defense Fund, New York.
- Fischer, D. 1998. PEAQ Prediction of Alfalfa Quality. DairyNet. English. University of Illinois at Urbana-Champaign. <<http://dairy.net/outreach.uiuc.edu/>>. Accessed December 29, 2010.
- Fisher, A., D. Abler, E. Barron, R. Bord, R. Crane, D. Dewalle, C.G. Knight, R. Najjar, E. Nizeyimana, R. O’Conner, A. Rose, J. Shortle, and B. Yarnal. 2000. *Preparing for Climate Change: Mid-Atlantic Overview*. Mid-Atlantic Regional Assessment Team, Pennsylvania State University, University Park, PA.
- Flue Cured Tobacco Cooperative. U.S. Tobaccos: Types. English. <<http://www.ustobaccofarmer.com/areamapage.html>>. Accessed December 29, 2010.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Forand N., K. DuBois, J. Halka, S. Hardaway, G. Janek, L. Karrh, E. Koch, L. Linker, P. Mason, E. Morgereth, D. Proctor, K. Smith, W. Stack, S. Stewart, and W. Wolinski. 2015. Recommendations of the Expert Panel to Define Removal Rates for Shoreline Management Projects. Chesapeake Bay Program. http://www.chesapeakebay.net/channel_files/21217/shoreline_management_082214.pdf
- Flynn, K.M., P.R. Hummel, A.M. Lumb, and J.L. Kittle Jr. 1995. User's Manual for ANNIE, Version 2, A Computer Program for Interactive Hydrologic Data Management: U.S. Geological Survey Water-Resources Investigations Report 95-4085. U.S. Geological Survey, Reston, VA. <http://water.usgs.gov/software/code/surface_water/annie/doc/annie.pdf>. Accessed August 7, 2007
- Frick, E.A., and G.R. Buell. 1999. Relation of land use to nutrient and suspended sediment concentrations, loads, and yields in the upper Chattahoochee River basin, Georgia, 1993-98. K.J. Hatcher, ed. 1999 Georgia Water Resources Conference, University of Georgia Athens, GA.
- Garcia-Serrano, J., and F. J. Doblas-Reyes, 2012: On the assessment of nearsurface global temperature and North Atlantic multi-decadal variability in the ENSEMBLES decadal hindcast. *Clim. Dyn.*, 39, 2025–2040
- Gollehon, N., 2014. Personal Communications re: Unpublished. 2014 Update to: Manure Nutrients Relative to the Capacity of Cropland and Pastureland to Assimilate Nutrients (published December, 2000). USDA NRCS Economic Research Service. August, 2014.
- Garcia, A.M., R.B. Alexander, J.G. Arnold, L. Norfleet, M.J. White, D.M. Robertson, G. Schwarz. 2016. Regional Effects of Agricultural Conservation Practices on Nutrient Transport in the Upper Mississippi River Basin. *Environmental Science and Technology*. 2016 DOI: 10.1021/acs.est.5b03543.
- Garden Guides. 2001. Selecting Brambles. English. GardenGuides.com <<http://www.gardenguides.com/TipsandTechniques/brambles.htm>>. Accessed December 29, 2010.
- Gaskell, M. 2001. Extended Season Fresh Market Blueberry Production. English. University of California. <<http://www.sfc.ucdavis.edu/research/blueberryupdate.html>>. Updated November 29, 2001.
- Gebert, W.A., D.J. Graczyk, and W.R. Krug. 1987. Annual average runoff in the United States, 1951–1980: US Geological Survey Hydrologic Investigations Atlas HA-710, 1 sheet, scale 1:7,500,000.
- Gibson, J.R., and R.G. Najjar. 2000. The response of the Chesapeake Bay salinity to climate-induced changes in streamflow. *Limnology and Oceanography* 45(8):1764–1772.
- Glozier, N.E., J.A. Elliott, B. Holliday, J. Yarotski, and B. Harker. 2006. Water quality trends and characteristics in a small agricultural watershed: South Tobacco Creek, Manitoba 1992-2001. Environment Canada, Ottawa, Ontario.
- Goetz S.J., C.A. Jantz, S.D. Prince, A.J. Smith, R. Wright, and D. Varlyguin. 2004. Integrated analysis of ecosystem interactions with land use change: The Chesapeake Bay watershed. In *Ecosystems and Land Use Change*, ed. R.S. DeFries, G.P. Asner and R.A. Houghton, pp. 263–275. American Geophysical Union, Washington, DC. <<ftp://ftp.whrc.org/Mid-Atlantic/GOETZ-PUBS/Goetz-2004-ChapmanBook.pdf>>. Accessed August 23, 2007.
- Goetz, S.J., and C.A. Jantz. 2006. Modeling the Rates and Spatial Patterns of Future Land Cover Change in the Chesapeake Bay Watershed. (Chesapeake Bay Program Assistance Agreement # CB-973009-01). Prepared for the Chesapeake Bay Program, Annapolis, MD.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Goodale, C.L., K. Lajtha, K.J. Nadelhoffer, E.W. Boyer, and N.A. Jaworski. 2002. Forest nitrogen sinks in large eastern U.S. watersheds: Estimates from forest inventory and an ecosystem model. *Biogeochemistry* 57(58):239–266.
- Gordon, H. B., P.H. Whetton, A.B. Pittock, A.M. Fowler, M.R. Haylock, 1992. "Simulated changes in daily rainfall intensity due to the enhanced greenhouse effect: implications for extreme rainfall events." *Climate Dynamics* 8:2 pp 83-102.
- Grace, J.M. 2004. Soil erosion following forest operations in Southern Piedmont of central Alabama. *Journal of Soil and Water Conservation* 59(4):160–166.
- Greene, K.A., L. Linker. 1998. Chesapeake Bay Watershed Model Application and Calculation of Nutrient and Sediment Loadings. Appendix A: Phase IV Chesapeake Bay Watershed Model Hydrology Calibration Results. Chesapeake Bay Program Office, Annapolis, MD.
<<http://www.chesapeakebay.net/modsc.htm>>.
- Grell, G. A., J. Dudhia, D.R. and Stauffer, 1994. A description of the fifth-generation Penn State/NCAR mesoscale model (MM5). NCAR Tech. Note NCAR/TN-398+STR, 117 pp. 548 (Available from the National Center for Atmospheric Research, P. O. Box 3000, Boulder, CO 549 80307.)
<<http://www.mmm.ucar.edu/mm5/mm5-home.html>> Accessed January 12, 2013.
- Grimm, J.W., and J.A. Lynch. 2000. Enhanced wet deposition estimates for the Chesapeake Bay watershed using modeled precipitation inputs. DNR Chesapeake Bay and Tidewater Programs CBWP-MANTA-AD-99-2.
- Grimm, J.W., and J.A. Lynch. 2004. Enhanced wet deposition estimates using modeled precipitation inputs. *Environmental Monitoring and Assessment* 90(1–3):243–268.
- Grimm, J.W., and J.A. Lynch. 2005. Improved daily precipitation nitrate and ammonium concentration models for the Chesapeake Bay Watershed. *Environmental Pollution* 135(2005):445–455.
- Groisman, Pavel Ya, R.W. Knight, T.R. Karl, D.R. Easterling, B. Sun, J.H. Lawrimore, 2004. "Contemporary changes of the hydrological cycle over the contiguous United States: Trends derived from in situ observations." *Journal of hydrometeorology* 5:1 pp 64-85.
- Groisman, Pavel Ya, Richard W. Knight, and Thomas R. Karl, 2001. "Heavy precipitation and high streamflow in the contiguous United States: Trends in the twentieth century." *Bulletin of the American Meteorological Society* 82:2 pp 219-246.
- Gronberg, J.M., and Spahr, N.E., 2012, County-level estimates of nitrogen and phosphorus from commercial fertilizer for the Conterminous United States, 1987–2006: U.S. Geological Survey Scientific Investigations Report 2012-5207, <https://pubs.usgs.gov/sir/2012/5207/>
- Gross, M.G., M. Karweit, W.B. Cronin, and J.R. Schubel. 1978. Suspended Sediment Discharge of the Susquehanna River to Northern Chesapeake Bay, 1966 to 1976. *Estuaries* 1(2):106-110, June 1978.
- Gutmann, Ethan, T. Pruitt; M.P. Clark, L. Brekke, J.R. Arnold, D.A. Raff, R.M. Rasmussen, 2014. An intercomparison of statistical downscaling methods used for water resource assessments in the United States. *Water Resources Research* 50:9 pp7167-7186.
- Guy, H.P., and G.E. Ferguson. 1962. Sediment in small reservoirs due to urbanization. In *Proceedings of the American Society of Civil Engineers, Journal of the Hydraulics Division* 88(HY2):27–37

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Hainly, R.A., Reed, L.A., Flippo, H.N., and Barton, G.J., 1995, Deposition and simulation of sediment transport in the Lower Susquehanna River Reservoir System: U.S. Geological Survey Water-Resources Investigations Report 95-4122, 39 p.
- Haith, D.A. and L.L. Shoemaker, 1987. Generalized Watershed Loading Functions for Stream Flow Nutrients. *Water Resources Bulletin*, 23(3), pp. 471-478
- Halka, J., and K. Hopkins, K. (2006). "Final WQM shoreline report," PowerPoint presentation to Chesapeake Bay Program Modeling Subcommittee, Annapolis MD. 7/13/2006
- Hameedi, J., H. Paerl, M. Kennish, and D. Whitall. 2007. Nitrogen deposition in U.S. coastal bays and estuaries. *Journal of the Air and Waste Management Association*. December 2007.
- Hamon, R.W., Weiss, L.L., and Wilson, W.T., 1954, Insolation as an empirical function of daily sunshine duration: *Monthly Weather Review*, v. 82, no. 6, (June), p. 141-146.
- Hamon, W.R. 1961. Estimating potential evapotranspiration. *Journal of the Hydraulics Division, ASCE* 87(HY3):107–120.
- Hanna, S.R. 1988. Air Quality Model Evaluation and Uncertainty, *JAPCA*, 38:4, 406-412, DOI: 10.1080/08940630.1988.10466390
- Hardaway, C.S., and R. J. Byrne. 1999. Shoreline Management in Chesapeake Bay. Virginia Sea Grant Publication VSG-99-11.
- Hardin, N.C. 1984. CE Factsheet. Growing Tomatoes. Publication 5. West Virginia University Extension Service, Center for Agricultural & Natural Resources Development. Used with other resources to determine nutrient recommendations and timing for vegetables in West Virginia.
- Hardin, N.C., and J.F. Baniecki. 1984. CE Factsheet. Growing Peppers. Publication 496. West Virginia University Extension Service, Center for Agricultural & Natural Resources Development. Used with other resources to determine nutrient recommendations and timing for vegetables in West Virginia.
- Hargreaves, G. H., and Samani, Z. A. 1982. "Estimating potential evapotranspiration." *J. Irrig. Drain. Div.*, 108:3, 225–230.
- Harman, C. J. 2014. Time-variable transit time distributions and transport: Theory and application to storage-dependent transport of chloride in a watershed. *Water Resources Research* 50.
- Harman, C.J., Ward, A.S., Ball, A., 2016. How does reach-scale stream-hyporheic transport vary with discharge? Insights from rSAS analysis of sequential tracer injections in a headwater mountain stream, *Water Resources Research*, Vol. 52(9), p 7130-7150.
- Harmel, D., Potter, S., Casebolt, P., Reckhow, K., Green, C., & Haney, R. (2006). Compilation of measured nutrient load data for agricultural land uses in the United States. *JAWRA Journal of the American Water Resources Association*, 42 (5):1163-1178
- Hartigan, J.P. 1983. *Chesapeake Bay Basin Model*. Prepared for the U.S. Environmental Protection Agency, Chesapeake Bay Program, Annapolis, MD, by the Northern Virginia Planning District Commission.
- Hawkins et. al, 2016. Animal Waste Management Systems: Recommendations from the BMP Expert Panel for Animal Waste Management Systems in the Phase 6 Watershed Model. December, 2016.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

Annapolis, Maryland. Available at:

https://www.chesapeakebay.net/documents/AWMS_EP_Report_WQGIT_approved_December_2016_final.pdf

- Hay, L., M. Clark, and G. Leavesley. 2000a. Use of atmospheric forecasts in hydrologic models—Part 2: Case Study. In Proceedings of the American Water Resources Association’s Spring Specialty Conference on Water Resources in Extreme Environments, Anchorage, Alaska, April 2000, pp. 221–226.
- Hay, L.E., G.H. Leavesley, M.P. Clark, S.L. Markstrom, R.J. Viger, and M. Umemoto. 2006. Stepwise, multiple objective calibration of a hydrologic model for a snowmelt dominated basin. *Journal of the American Water Resources Association* 42(4):0877–0890.
- Hay, L.E., G.J. McCabe Jr., D.M. Wolcok, and M.A. Ayers. 1991. Simulation of precipitation by weather type analysis. *Water Resources Research* 27(4):493–501.
- Hay, L.E., R.L. Wilby, and G.H. Leavesley. 2000b. A comparison of delta change and downscale GCM scenarios for three mountainous basins in the United States. *Journal of the American Water Resources Association* 36(2):387–397.
- Heinbaugh, S., E. Hatley, and E. DeWolf. 2001. Performance Report. 2001 Pennsylvania Winter Wheat & Barley Performance Tests. Penn State College of Agricultural Sciences, Cooperative Extension, University Park, PA.
- Hewlett, J.D., W.P. Thompson, and N. Brightwell. 1979. Erosion Control on Forest Land in Georgia. University of Georgia, and U.S. Department of Agriculture, Soil Conservation Service, Athens, GA.
- Hinga, K.R., AA Keller, C A Oviatt, 1991. Atmospheric Deposition and Nitrogen Inputs to Coastal Waters. *Ambio* 20(6): 256-260.
- Hirsch, R.M., and De Cicco, Laura, 2014, User guide to Exploration and Graphics for RivEr Trends (EGRET) and data Retrieval: R packages for hydrologic data: U.S. Geological Survey Techniques and Methods book 4, chap. A10, 94 p., <http://dx.doi.org/10.3133/tm4A10>.
- Hirsch, R.M., 2012, Flux of nitrogen, phosphorus, and suspended sediment from the Susquehanna River Basin to the Chesapeake Bay during Tropical Storm Lee, September 2011, as an indicator of the effects of reservoir sedimentation on water quality: U.S. Geological Survey Scientific Investigations Report 2012–5185, 17 p.
- Hirsch, Robert M., Douglas L. Moyer, and Stacey A. Archfield, 2010. Weighted Regressions on Time, Discharge, and Season (WRTDS), With an Application to Chesapeake Bay River Inputs. *Journal of the American Water Resources Association (JAWRA)* 46(5):857-880.
- Hoffman, S.A., and J.T. Kernan. 1996. Digital drainage basin boundaries of named streams in Pennsylvania: Open-File Report 96-354. <http://pa.water.usgs.gov/pa_digit.v2.html>. Accessed January 28, 2005.
- Hoos, A. B. and G. McMahon. 2009. Spatial analysis of instream nitrogen loads and factors controlling nitrogen delivery to streams in the southeastern United States using spatially referenced regression on watershed attributes (SPARROW) and regional classification frameworks. *Hydrological Processes*. DOI 10.1002/hyp.7323.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Hopkins, K., B. Brown, L. Linker, R.L. Mader, Jr. 2000. Chesapeake Bay Watershed Model Land Use and Model Linkages to the Airshed and Estuarine Models. U.S. Environmental Protection Agency, Chesapeake Bay Program, Annapolis, MD. <<http://www.chesapeakebay.net/modsc.htm>>.
- Hopkins, K. G., S. Lamont, P. Claggett, G. B. Noe, A. C. Gellis, C. Lawrence, M. Metes, M. Strager, and J. Strager. in preparation. USGS Stream Channel and Floodplain Metric Toolbox. U.S. Geological Survey, Reston, VA.
- Horizon Systems, 2010, NHDPlus documentation, version 1, available online at http://www.horizon-systems.com/NHDPlus/NHDPlusV1_home.php (accessed 10/18/2016).
- Howarth, R.W. 1998. An assessment of human influences on fluxes of nitrogen from the terrestrial landscape to the estuaries and continental shelves of the North Atlantic Ocean: Nutrient Cycling in Agroecosystems 52:213–223.
- Howarth, R.W., G. Billen, D. Swaney, A. Townsend, N. Jaworski, K. Lajtha, J.A. Downing, E.R. Elmgren, N. Caraco, T. Jordan, F. Berendse, J. Freney, V. Kudeyarov, P. Murdoch, H. Zhao-liang, and H. Zhu. 1995. Regional nitrogen budgets and riverine N & P fluxes for the drainages to the North Atlantic Ocean: Natural and human influences. Biogeochemistry 35(1):75-139.
- Howarth, R.W., D. Swaney, G. Billen, J. Garnier, B. Hong, C. Humborg, P. Johnes, C. Mörth, and R. Marino. 2011. Nitrogen fluxes from the landscape are controlled by net anthropogenic nitrogen inputs and by climate. *Frontiers in Ecology and the Environment* 10(1):37-43.
- Hunsacker, C.T., C.T. Garten, and P.J. Mulholland. 1993. Nitrogen Outputs from Forested Watershed in the Chesapeake Bay Drainage Basin. Oak Ridge National Laboratory, Environmental Sciences Division, Oak Ridge, TN.
- Hunsaker, C.T., C.T. Garten, and P.J. Mulholland, 1994. Nitrogen Outputs from Forested Watersheds in the Chesapeake Bay Drainage Basin. EPA Oak Ridge National Laboratory, Oak Ridge, TN. Draft.
- Hydrocomp, Inc., 1976. Hydrocomp Simulating Programming (HPS), Operations Manual, Palo Alto, CA, 2nd ed.
- Ibison, N.A., C.W. Frye, J.E. Frye, C.L. Hill, and N.H. Burger. 1990. Sediment and Nutrient Contributions of Selected Eroding Banks of the Chesapeake Bay Estuarine System. Virginia Department of Conservation and Recreation, Gloucester Point, VA.
- Ibison, N.A., J.C. Baumer, C.L. Hill, N.H. Burger, and J.E. Frye. 1992. Eroding Bank Nutrient Verification Study for the Lower Chesapeake Bay. Virginia Department of Conservation and Recreation, Gloucester Point, VA.
- Intergovernmental Panel on Climate Change, 2013. Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1535 pp, doi:10.1017/CBO9781107415324.
- Im, S., K. Brannan, S. Mostaghimi, and J. Cho. 2003. A Comparison of SWAT and HSPF Models for Simulating Hydrologic and Water Quality Responses from an Urbanizing Watershed. ASAE conference paper number: 032175.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Irani, F.M., and P.R. Claggett. 2010. Chesapeake Bay Watershed Land Cover Change Data Series. U.S. Geological Data Series 505. U.S. Geological Survey, Reston, VA.
- Jantz, C.A., S.J. Goetz, and, M.K. Shelley. 2003. Using the SLEUTH urban growth model to simulate the impacts of future policy scenarios on urban land use in the Baltimore–Washington metropolitan area. *Environment and Planning B: Planning and Design*. 31(2):251-271.
- Jantz, C.A., S.J. Goetz, P.R. Claggett, and D. Donato. Submitted. Modeling regional patterns of urbanization in the Chesapeake Bay watershed. *Environment and Planning B: Planning and Design*.
- Jasechko, S., J.W. Kirchner, J.M. Welker, and J.J. McDonnell. 2016. Substantial Portion of Global Streamflow Less Than Three Months Old. *Nature Geoscience Letters*. February 2016. 9:126-129. DOI: 10.1038/NGEO2636
- Jastram, J.D., 2014, Streamflow, water quality, and aquatic macroinvertebrates of selected streams in Fairfax County, Virginia, 2007–12: U.S. Geological Survey Scientific Investigations Report 2014-5073, 68 p., <http://dx.doi.org/10.3133/sir20145073>
- Jenks, G.F., and F.C. Caspall. 1971. Error on choroplethic maps: Definition, measurement, reductions. *Annals of the Association of American Geographers*, 61(2):217-244.
- Jett, J.W. 1996. CE Factsheet. Sweet Corn Production. Publication 7. West Virginia University Extension Service, Center for Agricultural & Natural Resources Development. Used with other resources to determine nutrient recommendations and timing for vegetables in West Virginia.
- Johanson, R.C., Imhoff, J.D., and Davis, H.H., Jr., 1980. Users Manual for Hydrological Simulation Program - Fortran (HSPF): Environmental Research Laboratory, EPA-600/9-80-015, April 1980. Athens, GA
- Johnson, T.E., and C.P. Weaver. 2008. A framework for assessing climate change impacts on water and watershed systems. *Environmental Management* 43(1):118–134.
- Johnson, Z., M. Bennett, L. Linker, S. Julius, R. Najjar, M. Mitchell, D. Montali, R. Dixon. 2016. The Development of Climate Projections for Use in Chesapeake Bay Program Assessments. STAC Publication Number 16-006, Edgewater, MD. 52 pp. http://www.chesapeake.org/pubs/360_Johnson2016.pdf last accessed 4/2019.
- Jordan, T. and G. Yagow. 2015. Ag Land Use Loading Rate Subgroup (Steering Committee) Progress Report. Presentation to the Modeling Workgroup. July 21, 2015. http://www.chesapeakebay.net/channel_files/22834/alulrsc_update_072115_v2.pdf
- Jordan, T.E., D.F. Whigham, K.H. Hofmockel, and M.A. Pittek. 2003. Nutrient and sediment removal by a restored wetland receiving agricultural runoff. *Journal of Environmental Quality* 32:1534–1547.
- Jordan, T., T. W. Simpson, and S. E. Weammert. 2008. Appendix C: Wetland BMP Report. Quantifying the Role of Wetland in Achieving Nutrient and Sediment Reductions in Chesapeake Bay. Chesapeake Bay Program Scientific and Technical Advisory Committee (STAC). STAC Publication 08-006. Based on April 4, 2007 Workshop. <http://www.chesapeake.org/pubs/wetlandsbmqreport.pdf>
- Kadlec, R.H. and R.L. Knight. 1996. Treatment Wetlands. In DeBusk, W.F. 1999. Wastewater Treatment Wetlands: Applications and Treatment Efficiency. University of Florida, IFAS Extension. <<http://edis.ifas.ufl.edu/pdf/files/SS/SS29400.pdf>>. Accessed July 17, 2008.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Kannan, N., S. Chinnasamy, M. White, J. Arnold, M. Di Luzio, and X. Wang. Undated. Documentation on Calibration and Validation of CEAP-HUMUS for various River Basins in the United States. USDA-Agricultural Research Service Grassland Soil and Water Research Lab. Temple, TX.
- Karl, T.R., and R.W. Knight. 1998. Secular trends of precipitation amount, frequency, and intensity in the United States. *Bulletin of the American Meteorological Society* 79(2):231–241.
- Keene W.C., J.A. Montag, J.R. Maben, M. Southwell, J. Leonard, T.M. Church, J.L. Moody, and J.N. Galloway. 2002. Organic nitrogen in precipitation over Eastern North America. *Atmospheric Environment* 36(28):4529–4540.
- Kemp, W.M., W. Boynton, and A. Hermann. 1983. A simulation modeling framework for analysis of estuarine ecosystems: The case of submerged vascular plants in upper Chesapeake Bay. In *Marine Ecosystems Modeling*, pp. 131–158. National Oceanic and Atmospheric Administration, Washington, DC.
- Keppeler, E., J. Lewis, and T. Lisle. 2003. Effects of Forest Management on Streamflow, Sediment Yield, and Erosion, Caspar Creek Experimental Watersheds. Agricultural Research Service. <www.tucson.ars.ag.gov/icrw/Proceedings/keppeler.pdf>. Accessed September 20, 2007.
- Ketterings, Q.M., D. Klausner, D. Stuart, and K.J. Czymmek. 2003. Nitrogen Guidelines for Field Crops in New York. Extension Series E03-16, June 22, 2003. Cornell University, Department of Crop and Soil Sciences, Ithaca, NY.
- Kim, H. M., P. J. Webster, and J. A. Curry, 2012: Evaluation of short-term climate change prediction in multi-model CMIP5 decadal hindcasts. *Geophys. Res. Lett.*, 39, L10701.
- Kim, S.M., Benham, B.L., Brannan, K.M., Zeckoski, R.W. and Yagow, G.R., 2007. Water quality calibration criteria for bacteria TMDL development. *Applied engineering in agriculture*, 23(2), pp.171-176.
- Kirtman, B., S.B. Power, J.A. Adedoyin, G.J. Boer, R. Bojariu, I. Camilloni, F.J. Doblas-Reyes, A.M. Fiore, M. Kimoto, G.A. Meehl, M. Prather, A. Sarr, C. Schär, R. Sutton, G.J. van Oldenborgh, G. Vecchi and H.J. Wang, 2013: Near-term Climate Change: Projections and Predictability. In: *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA
- Klocke, N., D. Eisenhauer, and T. Bockstadter. 1991. CE Factsheet. Predicting the Last Irrigation for Corn, Grain Sorghum and Soybeans. Publication No.: G82-602-A. Lincoln, NE: University of Nebraska Cooperative Extension. Used to determine approximate days in each growth stage for corn and grain sorghum.
- Knap, A., T. Jickells, A. Pszeny, and J.N. Galloway. 1986. Significance of atmospheric-derived fixed nitrogen on productivity of the Sargasso Sea. *Nature* 320:158–160.
- Koon, J. 1995. Evaluation of Water Quality Ponds and Swales in the Issaquah/East Lake Sammamish Basins. King County Surface Water Management Division, Seattle, WA. In Shoemaker, L., M. Lahlou, A. Doll, and P. Cazenias. 2002. Stormwater Best Management Practices in an Ultra-Urban Setting: Selection and Monitoring: Fact Sheet Detention Ponds. Federal Highway Administration, Landover, MD. <<http://www.fhwa.dot.gov/environment/ultraurb/index.htm>>. Accessed September 10, 2008.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Koroncai, R, L. Linker, J. Sweeney, and R. Batiuk. 2003. *Setting and Allocating the Chesapeake Bay Basin Nutrient and Sediment Loads*. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD. <<http://www.chesapeakebay.net/pubs/doc-allocating-whole.pdf>>. Accessed August 3, 2007.
- Koss, W., J. Owenby, P. Steurer, and D. Ezell. 1988. *Climatography of the U.S. No. 20, Supplement No. 1*. National Climatic Data Center, National Oceanic and Atmospheric Administration. Used to determine first and last frost dates for each of the USDA hardiness zones.
- Kropf, J. 2001. Strawberries. *Gardening in Western Washington*. English. Washington State University <<http://gardening.wsu.edu/library/smfr009/smfr009.htm>>. Updated July 30, 2001.
- Langdale, G.W., R.A. Leonard, and A.W. Thomas. 1985. Conservation practice effects on phosphorus losses from Southern Piedmont watersheds. *Journal of Soil and Water Conservation* January-February pp 157–161.
- Langland, M.J., 2009, Bathymetry and sediment-storage capacity change in three reservoirs on the lower Susquehanna River, 1996–2008: U.S. Geological Survey Scientific Investigations Report 2009–5110, 21 p. (<http://pubs.usgs.gov/sir/2009/5110/>).
- Langland. 2016. Sediment Transport and Bathymetric History in Three Reservoirs, Lower Susquehanna River Basin, Pennsylvania and Maryland 1900–2015. Presentation to STAC workshop: Conowingo Reservoir Infill and Its Influence on Chesapeake Bay Water Quality. (Linker and others 2016b)
- Langland, M.J., 2015, Sediment transport and capacity change in three reservoirs, Lower Susquehanna River Basin, Pennsylvania and Maryland, 1900–2012: U.S. Geological Survey Open-File Report 2014–1235, 18 p., <http://dx.doi.org/10.3133/ofr20141235>.
- Langland, M.J., Blomquist, J.D., Moyer, D.L., Hyer, K.E., and Chanut, J.G., 2013, Total nutrient and sediment loads, trends, yields, and nontidal water-quality indicators for selected nontidal stations, Chesapeake Bay Watershed, 1985–2011: U.S. Geological Survey Open-File Report 2013–1052, 51 p., available only at <https://pubs.usgs.gov/of/2013/1052/>.
- Langland, M., and T. Cronin. 2003. A Summary Report of Sediment Processes in the Chesapeake Bay and Watershed. Water-Resources Investigations Report 03–4123. U.S. Geological Survey, New Cumberland, PA.
- Langland, M.J., P.L. Lietman, and S. Hoffman. 1995. Synthesis of Nutrient and Sediment Data for Watersheds within the Chesapeake Bay Drainage Basin. Water-Resources Investigations Report 95–4233. U.S. Geological Survey, Reston, VA.
- Lea-Cox, J., and A. Ristvey. 2007. Personal communication between Robert Burgholzer and Drs. John Lea-Cox and Andrew Ristvey during a March 23, 2007, meeting on University of Maryland College Park research and outreach with the nursery industry in Maryland.
- Lee, S., Yeo, I. Y., Sadeghi, A. M., McCarty, G. W., Hively, W. D., Lang, M. W., & Sharifi, A. 2018. Comparative analyses of hydrological responses of two adjacent watersheds to climate variability and change using the SWAT model. *Hydrology & Earth System Sciences*, 22(1).
- Lightle, D., 2017. RUSLE2 Management file output for major crops in the Chesapeake Bay Watershed. Spreadsheet presented to the Chesapeake Bay Program’s Agricultural Modeling Subcommittee 3/16/2017. FinalP6RUSLE2Data.xlsx. Available on request from the Chesapeake Bay Program.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Lindsey, B.D, S.W. Phillips, C.A. Donnelly, G.K. Speiran, L.N. Plummer, J.K. Bohlke, M.J. Focazio, W.C. Burton, and E. Busenberg, E. 2003. Residence Times and Nitrate Transport in Ground Water Discharging to Streams in the Chesapeake Bay Watershed. Water-Resources Investigations Report 03-4035, 201p.
- Lindstrom, G., Rodhe, A., 1992. Transit times of water in soil lysimeters from modeling of oxygen-18. *Water, Air, & Soil Pollution* 65, 83-100.
- Line, D.E., N.M. White, D.L. Osmond, Gregory D. Jennings, and C.B. Mojonier. 2002. Pollutant export from various uses in the Upper Neuse River Basin. *Water Environment Research* 74(1):100-108.
- Linker, L., R. Hirsch, W. Ball, J. Testa, K. Boomer, C. Cerco, L. Sanford, J. Cornwell, L. Currey, C. Friedrichs, R. Dixon. 2016a. Conowingo Infill Influence on Chesapeake Water Quality. STAC Publication Number 16-004, Edgewater, MD. 51 pp.
- Linker, L.C., R.A. Batiuk, C.F. Cerco, G.W. Shenk, R. Tian, P. Wang, and G. Yactayo. 2016b. Influence of reservoir infill on coastal deep water hypoxia. *Journal of Environmental Quality* 45(3): 887-893
- Linker, L.C., R.A. Batiuk, G.W. Shenk, and C.F. Cerco 2013. Development of the Chesapeake TMDL Allocation. *Journal of the American Water Resources Association*, 49:986-1006
- Linker, L.C., R. Dennis, G.W. Shenk, R.A. Batiuk, J. Grimm, and P. Wang 2013. Computing Atmospheric Nutrient Loads to the Chesapeake Bay Watershed and Tidal Waters. *Journal of the American Water Resources Association*, 49:1025-1041
- Linker, L.C., G.W. Shenk, P. Wang, R. Batiuk, 2008. *Chapter 3: Integration of Modeling, Research, and Monitoring in the Chesapeake Bay Program in Management of Water Quality and Irrigation Techniques*, Editors: Jose Albiac and Ariel Dinar, Earthscan. London, UK.
- Linker, L.C., T. Johnson, G.W. Shenk, C.F. Cerco, P. Wang, 2007. Evaluating 2030 climate change in the Chesapeake Bay watershed and estuary. 19th Biennial Conference of the Estuarine Research Federation, November 4-8, 2007, Providence, RI.
- Linker, L.C, G.W. Shenk, R. Dennis, and J. Sweeney. 2000. Cross-media models of the Chesapeake Bay watershed and airshed. *Water Quality and Ecosystem Modeling* 1(1-4):91-122.
- Linker, L.C. 1996. Models of the Chesapeake Bay. *Sea Technology* 37(9):49-55.
- Linker, L.C., C.G. Stigall, C.H. Chang, and A.S. Donigian Jr. 1996. Aquatic accounting: Chesapeake Bay Watershed Model quantifies nutrient loads. *Water Environment and Technology* 8(1):48-52.
- Linker, L.C., G. Shenk, P. Wang, and J.M. Storricks. 1998. Chesapeake Bay Watershed Model Application and Calculation of Nutrient and Sediment Loadings. Appendix B: Phase IV Chesapeake Bay Watershed Model Water Quality Results. Chesapeake Bay Program Office. Annapolis, MD. <<http://www.chesapeakebay.net/modsc.htm>>.
- Linker, L.C., G.W. Shenk, P. Wang, and R. Batiuk. 2008. Integration of Modeling, Research, and Monitoring in the Chesapeake Bay Program. Chapter 3 in *Management of Water Quality and Irrigation Techniques*, eds J. Albiac, and A. Dinar. Earthscan, London, U.K.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Linker, L.C., G.W. Shenk, P. Wang, K.J. Hopkins, S. Pokharel. 2002. A Short History of Chesapeake Bay Modeling and the Next Generation of Watershed and Estuarine Models *Proceedings of the Water Environment Federation, Watershed 2002*, pp. 569-582(14) Water Environment Federation. Alexandria, VA.
- Little, J.L., Bennett, D.R., Miller, J.J., 2005. Nutrient and sediment losses under simulated rainfall following manure incorporation by different methods. *J. Environ. Qual.* 34, 1883–1895.
- Lake Erie nutrients: From watersheds to open water. Available from:
https://www.researchgate.net/publication/263858027_Lake_Erie_nutrients_From_watersheds_to_open_water#page:1:rect:310.52,339.42,251.04,18.40 [accessed Feb 5, 2016].
- Livingston, E.H., E. Shaver, J.J. Skupien, and R.R. Horner. 1997. Operation, Maintenance, and Management of Stormwater Management Systems. Watershed Management Institute, Ingleside, MD.
- Lobo, M.E., and R.B. Herrmann. 1998. Harvest impacts on forest outflow in coastal North Carolina. *Journal of Environmental Quality* 27:1382–1395.
- Loomis, R.S., and D.J. Conner. 1992. *Crop Ecology: Productivity and Management in Agricultural Systems*. Cambridge University Press, Cambridge, UK.
- Lu, J., G. Sun, S.G. McNulty, and D.M. Amatya. 2005. A comparison of six potential evapotranspiration methods for regional use in the southeastern United States. *Journal of the American Water Resources Association* June 2007:621–532.
- Lumb, A.M., R.B. McCammon, and J.L. Kittle Jr. 1994. Users Manual for an Expert System (HSPEXP) for Calibration of the Hydrological Simulation Program—Fortran. Water-Resources Investigations Report 94-4168, U.S. Geological Survey, Reston, VA.
<<http://water.usgs.gov/software/HSPexp/code/doc/hspexp.pdf>>. Accessed December 16, 2011.
- Lynch, J.A., and J.W. Grimm. 2003. Improved Daily Nitrate and Ammonium Concentration Models for the Chesapeake Bay Watershed. U.S Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD.
- Lyubchich, V., L. Harris, & J.M. Testa. 2015. Sample size to calculate yearly load based on weekly measurements. Prepared for requirements of Campbell Foundation. Technical Report Series No. TS-733-10 of the University of Maryland Center for Environmental Science].
- Macko, S., L. Wang, and P. D'Odorico. 2005. Nitrogen uptake preferences by plants in arid and semiarid ecosystems. *Eos Transactions AGU* 86(52), Fall Meeting Supplement, Abstract B43D-0300.
- Madden, C.J., and W.M. Kemp. 1996. Ecosystem model of an estuarine submersed plant community: Calibration and simulation of eutrophication responses. *Estuaries* 19 (2B):457–474.
- Maestre, A., and R. Pitt. 2005. Identification of significant factors affecting stormwater quality using the NSQD. Unpublished monograph. <[http://unix.eng.ua.edu/~rpitt/Research/ms4/Paper/CHI%20monograph%20\(maestre%20pitt%202005\)%20draft.pdf](http://unix.eng.ua.edu/~rpitt/Research/ms4/Paper/CHI%20monograph%20(maestre%20pitt%202005)%20draft.pdf)>. Accessed July 10, 2008.
- Maizel, M.S., G. Muehlbach, P. Baynham, J. Zoerkler, D. Monds, T. Iivari, P. Welle, J. Robbin, and J. Wiles. 1997. The Potential for Nutrient Loading from Septic Systems to Ground and Surface Water

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Resources and the Chesapeake Bay. Prepared for the Chesapeake Bay Program Office, by National Center for Resource Innovation, Annapolis, MD.
- Malone, G.W. 2007. Delmarva Poultry Litter Production Estimates. University of Delaware, Georgetown, DE. (http://extension.udel.edu/ag/files/2012/12/LitterQEst_MultiYear-as-of-2010.xls)
- Maloszewski P., Rauert W., Stichler W., Herrmann A., 1983. Application of flow models in an alpine catchment area using tritium and deuterium data, *Journal of Hydrology*, 66 (1-4), pp. 319-330.
- Mann, H. B., & Whitney, D. R. (1947). On a test of whether one of two random variables is stochastically larger than the other. *The annals of mathematical statistics*, 50-60.
- Martucci, S.K., J.L. Krstolic, J.P. Raffensperger, and K.J. Hopkins. 2006. Development of Land Segmentation, Stream-Reach Network, and Watersheds in Support of Hydrologic Simulation Program-Fortran (HSPF) Modeling, Chesapeake Bay Watershed, and Adjacent Parts of Maryland, Delaware, and Virginia. U.S. Geological Survey, Reston, VA.
- Maryland Department of Natural Resources. 1998. swshed12 - Maryland's Third Order Watershed. Maryland Department of Natural Resources, Annapolis, MD.
<<ftp://dnrftp.dnr.state.md.us/Public/SpatialData/Watershed/WShedBndry/swshed12.htm>>. Accessed January 25, 2005.
- Maryland Department of Natural Resources. 2003. Technical Reference for Maryland's Tributary Strategies. Documentation for Data Sources and Methodologies Used in Developing Nutrient Reduction and Cost Estimates for Maryland's Tributary Strategies. Maryland Department of Natural Resources, Annapolis, MD.
- Maule, C.P., and J.A. Elliott. 2005. Effect of hog manure injection upon soil productivity and water quality; Part I, Perdue site, 1999-2004. ADF Project 98000094. Saskatchewan Agriculture Development Fund, Regina.
- McKnight, P. E., & Najab, J. (2010). Mann-Whitney U Test. *Corsini Encyclopedia of Psychology*.
- MDA AIR, 2015. Maryland Department of Agriculture Personal Communications re: 2011 through 2013 Annual Implementation Report Summary. 2014.
- MDA 2015. Maryland Department of Agriculture Personal Communications re: Average production area by animal type. 2015.
- MDE (Maryland Department of the Environment). 2010. Maryland's Phase I Watershed Implementation Plan for the Chesapeake Bay Total Maximum Daily Load. Baltimore, MD: Maryland Department of the Environment. Also Available at http://www.mde.maryland.gov/programs/Water/TMDL/TMDLHome/Pages/Final_Bay_WIP_2010.aspx.
- MDE. 2012. Maryland's Phase II Watershed Implementation Plan for the Chesapeake Bay Total Maximum Daily Load. Baltimore, MD: Maryland Department of the Environment. Also Available at http://www.mde.state.md.us/programs/Water/TMDL/TMDLImplementation/Pages/DRAFT_PhaseII_WIPDocument_Main.aspx.
- Mehdi, B., Lehner, B., Gombault, C., Michaud, A., Beaudin, I., Sottile, M. F., & Blondlot, A. 2015a. Simulated impacts of climate change and agricultural land use change on surface water quality with

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- and without adaptation management strategies. *Agriculture, Ecosystems & Environment*, 213, 47-60.
- Mehdi, B., Ludwig, R., & Lehner, B. 2015b. Evaluating the impacts of climate change and crop land use change on streamflow, nitrates and phosphorus: a modeling study in Bavaria. *Journal of Hydrology: Regional Studies*, 4, 60-90.
- Mesinger, F., G. DiMego, E. Kalnay, K. Mitchell, P.C. Shafran, W. Ebisuzaki, D. Jovi, J. Woollen, E. Rogers, E.H. Berbery, M.B. Ek, Y. Fan, R. Grumbine, W. Higgins, H. Li, Y. Lin, G. Manikin, D. Parrish, and W. Shi. 2006: North American Regional Reanalysis. *Bull. Amer. Meteor. Soc.*, 87, 343–360.
- Meisinger, J.J., G.W. Ranjdall, 1991. Estimating nitrogen budgets for soil-crop systems. In: Follett, R.F., Kenney, D.R., Cruse, R.M. (Eds), *Managing Nitrogen for Groundwater Quality and Farm Profitability*. Soil Science of America, Madison, WI, pp. 85-124.
- Metcalf and Eddy. 1979. *Wastewater Engineering*. 2nd ed. McGraw Hill, New York.
- Mid Atlantic Water Program, 2006. *The Mid-Atlantic Nutrient Management Handbook*. Mid-Atlantic Water Program 06-02. February, 2006.
- Mid Atlantic Water Program, 2013. *Technical Analysis for Nutrient Crediting of Manure Conversion Technologies*. Mid-Atlantic Regional Water Program.
https://www.aaec.vt.edu/people/faculty/URLs/Kurt_Paper.pdf. Pg. 27
- Milly, P.C.D., J. Betancourt, M. Falkenmark, R.M. Hirsch, Z.W. Kundzewicz, D.P. Lettenmaier, and R.J. Stouffer. 2008. Climate change: Stationarity is dead: Whither water management? *Science* 319(5863):573–574.
- Mishra, A., B.L. Benham, and S. Mostaghimi. 2006. Sediment and Nutrient Losses from Field-Scale Cropland Plots Treated with Animal Manure and Inorganic Fertilizer. *Water, Air, and Soil Pollution* (2006) 175: 61–76. DOI: 10.1007/s11270-006-9111-4
- Mississippi State University Extension Service. *Crops: Sorghum*. MSUCARES. English.
<<http://www.msucares.com/crops/sorghum/growth.html>>. Accessed July 14, 2001.
- Mitsch, W.J., and J.G. Gosselink. 2000. *Wetlands*. 3rd ed. John Wiley & Sons, New York, NY.
- Mizukami, Naoki, M.P. Clark, E.D. Gutmann, P.A. Mendoza, A.J. Newman, B. Nijssen, B. Livneh, L.E. Hay, J.R. Arnold, L.D. Brekke, 2016 Implications of the methodological choices for hydrologic portrayals of climate change over the contiguous United States: statistically downscaled forcing data and hydrologic models. *Journal of Hydrometeorology* 17:1) pp 73-98.
- Montali, D. 2015. P6 Land Use Target Process. Presentation to the Source Sector Workgroup Leadership. July 27, 2015.
http://www.chesapeakebay.net/channel_files/22916/p6_land_use_target_process.pdf
- Montana State University. *Assessing Alfalfa Stand Condition Counting Stems The Way*, Agronomy Notes No. 60. English. <http://scarab.msu.montana.edu/Agnotesold/category_8.htm>. Accessed December 29, 2010.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Moore, K.A., D.J. Wilcox, R.J. Orth, and E. Bailey. 1999. *Analysis of Historical Distribution of Submerged Aquatic Vegetation (SAV) in the James River*. Report to Virginia Coastal Resources Management Program, Department of Conservation and Recreation, Richmond, VA.
- Moore, R., C. Johnston, R. Smith, and B. Milstead. 2011. Source and Delivery of Nutrients to Receiving Waters in the Northeastern and Mid-Atlantic Regions of the United States. *JAWRA*. 47(5):965-990.
- Moriasi, D.N., J. G. Arnold, M. W. Van Liew, R. L. Bingner, R. D. Harmel, and T. L. Veith. 2007. Model Evaluation Guidelines for Systematic Quantification of Accuracy in Watershed Simulations. *Transactions of the American Society of Agricultural and Biological Engineers*. 50(3): 885-900.
- Moriasi, D.N., B. N. Wilson, K. R. Douglas-Mankin, J. G. Arnold, and P. H. Gowda. 2012. Hydrologic and Water Quality Models: Use, Calibration, and Validation. *Transactions of the American Society of Agricultural and Biological Engineers*. 55(4): 1241-1247.
- Mopper, K., and R.G. Zita. 1987. Free amino acids in marine rains: Evidence for oxidation and potential role in nitrogen cycling. *Nature* 325(15):246–249.
- Moyer, D.L. and M.R. Bennett. 2007. Development of Relations of Stream Stage to Channel Geometry and Discharge for Stream Segments Simulated with Hydrologic Simulation Program–Fortran (HSPF), Chesapeake Bay Watershed and Adjacent Parts of Virginia, Maryland, and Delaware. Scientific Investigations Report 2007-5135. U.S. Geological Survey, Reston, VA.
<<http://pubs.usgs.gov/sir/2007/5135/> Accessed December 16, 2011.
- Mueller, D.H., R.C. Wendt, and T.C. Daniel. 1984. Soil and Water Losses as Affected by Tillage and Manure Application. *Soil Sci. Soc. Am. J.* 48:896-900.
- Najjar, R., L. Patterson, and S. Graham. 2009. Climate simulations of major estuarine watersheds in the Mid-Atlantic region of the United States. *Climate Change* 95:139–168.
- Najjar, R.G. 1999. The water balance of the Susquehanna River Basin and its response to climate change. *Journal of Hydrology* 219:7–19.
- Najjar, R.G., H.A. Walker, P.J. Anderson, E.J. Barron, R.J. Bord, J.R. Gibson, V.S. Kennedy, C.G. Knight, J.P. Megonigal, R.E. O’Connor, C.D. Polsky, N.P. Psuty, B.A. Richards, L.G. Sorenson, E.M. Steele, and R.S. Swanson. 2000. The potential impacts of climate change on the mid-Atlantic coastal region. *Climate Research* 14:219–233.
- NC State (North Carolina State). 2005. *Urban Waterways: Mosquito Control for Stormwater Facilities*. North Carolina State University and North Carolina A&T State University, North Carolina Cooperative Extension Service.
- Neff, R., H. Chang, C.G. Knight, R.G. Najjar, B. Yarnal, and H.A. Walker. 2000. Impact of climate variation and change on Mid-Atlantic Region hydrology and water resources. *Climate Research* 14:207–218.
- Neitsch, S. L., J. G. Arnold, J. R. Kiniry, and J. R. Williams. 2011. *Soil and Water Assessment Tool Theoretical Documentation Version 2009*. Temple, TX: Agricultural Research Service Grassland Soil and Water Research Laboratory and Texas AgriLife Research, Texas A&M University, Blackland Research and Extension Center. <http://swat.tamu.edu/media/99192/swat2009-theory.pdf>
- Newell, R.I.E. 1988. Ecological changes in Chesapeake Bay: Are they the result of overharvesting the eastern oyster (*Crassostrea virginica*)? *Understanding the estuary: Advances in Chesapeake Bay*

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- research. In *Proceedings of March 1988 Chesapeake Bay Conference*, eds. E. Krome and M. Haire. CRC Publication 129. pp. 536–546. Chesapeake Research Consortium, Edgewater, MD.
- Nicolai, R.E., and K.A. Janni. 1998. Comparison of Biofilter Retention Time. Paper No. 974053. American Society of Agricultural and Biological Engineers, St. Joseph, MI.
- NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2016. Section 6.4.3.3 Double Exponential Smoothing.
<http://www.itl.nist.gov/div898/handbook/pmc/section4/pmc433.htm> accessed 4/7/2016
- Nixon, S.W. 1997. Prehistoric nutrient inputs and productivity in Narragansett Bay. *Estuaries* 20(2):253–261.
- NOAA (National Oceanic and Atmospheric Administration). 1985. 1985 Report on Hurricane Juan. <<http://www.hpc.ncep.noaa.gov/tropical/rain/juan1985.html>>. Accessed August 7, 2007.
- NOAA (National Oceanic and Atmospheric Administration). 1994. Medium Resolution Digital Vector Shoreline, 1:80,000. Digital Vector Shoreline data product generated by the Data Management and Geographic Information Systems Group of the Strategic Environmental Assessment Division, ORCA-NOS-NOAA <http://cammp.nos.noaa.gov/ORCAIIs/proddetails.taf?OFFERINGCODE=2_SEA_ShorelineData>. Accessed August 24, 2007.
- NOAA (National Oceanic and Atmospheric Administration). 2007. National Climatic Data Center, Asheville, NC. <www.ncdc.noaa.gov>. Accessed August 7, 2007.
- NOAA Climate Program Office, 2014. U.S. Climate Resilience Toolkit. [Online] <http://toolkit.climate.gov>. Accessed June, 2016.
- Pierce, D. W., and D. R. Cayan, 2015. Downscaling humidity with Localized Constructed Analogs (LOCA) over the conterminous United States. *Climate Dynamics* 1-21.
- Noe, G. B., C. R. Hupp, and E. R. Schenk. 2015a. Measuring and predicting sediment and associated nitrogen and phosphorus fluxes of bank erosion, floodplain deposition, and net balance in stream reaches of the Chesapeake Bay watershed: current results from the USGS Chesapeake Floodplain Network. Draft.
- Noe, G., C. Hupp, E. Schenk, and P. Claggett. 2015b. How to model sediment and nutrient fluxes of floodplains and streambanks across the Chesapeake watershed. Presentation to the Modeling Workgroup, November, 4 2015.
http://www.chesapeakebay.net/channel_files/22984/noe_cfn_cbp_4nov15.pdf
- Noe, G., P. Claggett, C. Hupp, and E. Schenk. 2016. Regional Measurement and Modeling of the Input and Loss of Sediment and Nutrients from Streambanks and Floodplains: The Chesapeake Watershed. Presentation to the Modeling Workgroup, October, 4 2016.
https://www.chesapeakebay.net/channel_files/24281/noe_cbp_modeling_oct16.pdf
- Novotny, V., and H. Olem. 1994. *Water quality: Prevention, identification, and management of diffuse pollution*. Van Nostrand Reinhold, New York.
- NRCS (Natural Resources Conservation Services). 2007. Revised Universal Soil Loss Equation 2 (RUSLE2). Natural Resources Conservation Services. <<http://www.rusle2.org/>>. Accessed September 20, 2007.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- NRI (National Resources Inventory). 2007. Natural Resources Conservation Services. <<http://www.nrcs.usda.gov/TECHNICAL/land/nri03/nri03eros-mrb.html>>. Accessed September 20, 2007.
- NUGIS, 2014. The Nutrient Use Geographic Information System: Estimates of Fertilizer and Manure. International Plant Nutrient Institute. 2014.
- Nusser, S. M., and J.J. Goebel. 1997. The National Resources Inventory: A Long-Term Multi-Resource Monitoring Programme, *Environmental and Ecological Statistics* 4(3):181–204.
- O’Dell, C.R., and J. Williams. 1999. CE Factsheet. Hill System Plastic Mulched Strawberry Production Guide for Colder Areas. Virginia Cooperative Extension, Virginia Polytechnic Institute and State University, Virginia State University.
- Office of the President. 2009. Executive Order: Chesapeake Bay Protection and Restoration. Office of the President, Washington, DC.
- Ohio State University. 2001. Bulletin 672-01. Potatoes. 2001 Ohio Vegetable Production Guide. English. Ohio State University <http://ohioline.osu.edu/b672/b672_28.html>.
- Ohio State University. 2005. Agronomy Handbook. Corn Production. Ohio Agronomy Guide. Bulletin 472. Ohio State University, Columbus, OH. Used for general reference.
- Orth, R.J., and K.A. Moore. 1984. Distribution and abundance of submerged aquatic vegetation in Chesapeake Bay: An historical perspective. *Estuaries* 7:531–540.
- Over, T.M., E.A. Murphy, T.W. Ortel, and A.L. Ishii. 2007. Comparisons between NEXRAD radar and tipping-bucket gage rainfall data: A case study for DuPage County, Illinois. In *World Environmental and Water Resources Congress 2007: Restoring Our Natural Habitat*, Tampa, Florida, American Society of Civil Engineers, p. 6,971.
- Paerl, H.W., R.L. Dennis, and D.R. Whitall. 2002. Atmospheric Deposition of Nitrogen: Implications for Nutrient Over-enrichment of Coastal Waters. *Estuaries* 25(4B):677–693.
- Palace, M.W., J.E. Hannawald, L.C. Linker, G.W. Shenk, J.M. Storrick, and M.L. Clipper. 1998. Chesapeake Bay Watershed Model Application and Calculation of Nutrient and Sediment Loadings. Appendix H: Tracking Best Management Practice Nutrient Reductions in the Chesapeake Bay Program. EPA 903-R-98-009, CBP/TRS 201/98. U.S. Environmental Protection Agency Chesapeake Bay Program, Annapolis, MD. . <<http://www.chesapeakebay.net/pubs/777.pdf>>. Accessed September 20, 2007.
- Pan, Y., R. Birdsey, J. Hom, and K. McCullough. 2005. Forest Productivity and Effects of Nitrogen Deposition on Water Quality. U.S. Department of Agriculture, Forest Service, Northwestern Area, Global Change Research. Newtown Square, PA.
- Panagos P., P. Borrelli, K. Meusburger, C. Alewell, E. Lugato, and L. Montanarella. 2015. Estimating the soil erosion cover-management factor at the European Scale. *Land Use Policy* 48 (2015) 38–50. <http://dx.doi.org/10.1016/j.landusepol.2015.05.021>
- Parris, A., P. Bromirski, V. Burkett, D.R. Cayan, M. Culver, J. Hall, R. Horton. K. Knuuti, R. Moss, J. Obeysekera, A. Sallenger, J. Weiss, 2012. Global Sea Level Rise Scenarios for the United States National Climate Assessment. NOAA Technical Report OAR CPO-1. National Oceanic and Atmospheric Administration, Silver Spring, Maryland.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Pearce, A. J., Stewart, M. K., and Sklash, M. G., 1986, Storm runoff generation in humid headwater catchments: 1. Where does the water come from?, *Water Resour. Res.*, 22, 1263–1272.
- Peedin, G.F. Production Guide. Chapter 5, Fertilization. 2001 North Carolina Flue-Cured Tobacco Production Guide. English. Center for IPM <http://ipmwww.ncsu.edu/Production_Guides/Flue-cured/chptr5.html>. Accessed December 29, 2010.
- Pellerin, B.A., B.A. Bergamaschi, R.J. Gilliom, C.G. Crawford, J. Saraceno, C.P. Frederick, B.D. Downing, and J.C. Murphy. 2014 Mississippi River Nitrate Loads from High Frequency Sensor Measurements and Regression-Based Load Estimation. *Environmental Science & Technology* 2014 48 (21), 12612-12619. DOI: 10.1021/es504029c
- Penn State University. 1998. Agronomy Handbook. The Agronomy Guide 1999-2000. Penn State University, University Park, PA. Used to determine planting and harvesting dates for grain and forage crops in Pennsylvania. Also used to determine nutrient recommendation totals and amounts of nutrients in each application for Pennsylvania.
- Pennsylvania Department of Environmental Protection, Bureau of Watershed Management (Tom Juengst), results of communication with Bill Achor, environmental specialist, Wenger Feeds, Inc. Reporting the incidence of phytase adoption in commercial poultry operations and the reduction in phosphorus that has resulted.
- Perry, D.A. 1998. The scientific basis of forestry. *Annual Review of Ecological Systems* 29(1998):435–466).
- Pitt, R., A. Maestre, and R. Morquecho. 2004. The National Stormwater Quality Database (NSQD, version 1.1) Dept. of Civil and Environmental Engineering, University of Alabama, Tuscaloosa, AL. February 16. <http://unix.eng.ua.edu/~rpitt/Research/ms4/NSQD%20Summary%20Table%20Ver%201_1%20043005.doc>. Accessed July 10, 2008.
- Pleim J., and L. Ran,. 2011. Surface Flux Modeling for Air Quality Applications. *Atmosphere* 2(3): 271-302.
- Plummer, L.N., Michel, R.L., Thurman, E.M. and Glynn, P.D., 1993. Environmental tracers for age dating young ground water. In: *Regional ground-water quality*. Van Nostrand Reinhold, New York, pp. 255-294.
- Popenoe, J., and R. Zimmerman. 1990. CE Factsheet. Growing Blueberries in West Virginia. West Virginia University Extension Service, Center for Agricultural & Natural Resources Development. Used with other resources to develop nutrient recommendations and timing for berries in West Virginia. <<http://www.wvu.edu/~Agexten/hortcult/fruits/groblueb.htm>>. Accessed July 10, 2008
- Preston, S. D .and J. W. Brakebill. 1999. Application of Spatially Referenced Regression Modeling for the Evaluation of Total Nitrogen Loading in the Chesapeake Bay Watershed. U. S. Geological Survey. USGS Water-Resources Investigations Report 99-4054. <http://md.water.usgs.gov/publications/wrir-99-4054/pdf/SPARROW.pdf>
- Preston, S., R. Alexander, G. Schwarz, and C. Crawford. 2011. Factors Affecting Stream Nutrient Loads: A Synthesis Of Regional Sparrow Model Results For The Continental United States. *JAWRA*. 47(5):891-915.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Pyke, C., 2012. STAC Letter to the Chesapeake Bay Program Management Board re: Adapting to Climate Change in the Chesapeake Bay, June, 2012. STAC.
http://www.chesapeake.org/pubs/288_Pyke2012.pdf last accessed 4/2019.
- Pyke, C., M. Bennett, R. Najjar, M. Raub, K. Sellner, S. Stiles, D. Wardrop. (2012). Adapting to Climate Change in the Chesapeake Bay: A STAC workshop to monitor progress in addressing climate change across the Chesapeake Bay Watershed (CRC# STAC 12-01). STAC.
http://www.chesapeake.org/pubs/287_Pyke2012.pdf last accessed 4/2019.
- Pyke, C.R., R.G. Najjar, M.B. Adams, D. Breitburg, M. Kemp, C. Hershner, R. Howarth, M. Mulholland, M. Paolisso, D. Secor, K. Sellner, D. Wardrop, and R. Wood. 2008. Climate Change and the Chesapeake Bay: State-of-the-Science Review and Recommendations. Chesapeake Bay Program Science and Technical Advisory Committee, Annapolis, MD.
<http://www.chesapeake.org/pubs/Pubs/climchangereport.pdf> last accessed 4/2019
- Ramos, M.C., J.M. Quinton, and S.F. Tyrrel. 2005. Effects of cattle manure on erosion rates and runoff water pollution by faecal coliforms. *Journal of Environmental Management* 78 (2006) 97–101.
doi:10.1016/j.jenvman.2005.04.010
- Randall, J.H. and Schultz, T.R., 1976. Chlorofluorocarbons as hydrologic tracers: A new technology. *Hydrology and Water Resources in Arizona and the Southwest*, 6: 189-195.
- Reilly, J. 1997. A method to assign population and a progress report on the use of a spatial simulation model. *Environment and Planning B: Planning and Design* 24:725–739.
- Reilly, J. 2003. The New Jersey (USA) Growth Allocation Model: Development, evaluation and extension. In *Planning Support Systems in Practice, Advances in Spatial Science Series*, S. Geertman and J. Stillwell, pp. 373–389. Springer, Berlin.
- Reist, A.L. 1974. *Tobacco Lore of Lancaster County, Pennsylvania*. Science Press, Ephrata, PA. Used as a general reference.
- Relf, D., and J. Williams. 2000. CE Factsheet Small Fruit in the Home Garden. Environmental Horticulture Publication 426-840. Virginia Cooperative Extension, Blacksburg, VA.
- Riekerk, H., D.G. Neary, and W.T. Swank. 1988. The magnitude of upland silviculture nonpoint source pollution in the South. Ed. Hook, Donald D.; Lea, Russ Conference on the Forested Wetlands of the Southern United States, Asheville, NC U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station pp: 8-18.
- Risius, M., and O.E. Hatley. 2001 Performance Report. 2000 Pennsylvania Spring Oat and Barley Performance Tests. Penn State College of Agricultural Sciences, Cooperative Extension, University Park, PA.
- Ritter, W.F., and A.E.M Chirnside. 1984. Impact of land use on groundwater quality in Southern Delaware. *Groundwater* 22(1):38–47.
- Robertson, W.D., and J.A. Cherry. 1992. Hydrogeology of an unconfined sand aquifer and its effect on the behavior of nitrogen from a large-flux septic system. *Applied Hydrogeology* 0(0):32–44.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Robertson, W.D., J.A. Cherry, and E.A. Sudicky. 1991. Ground-water contamination from two small septic systems on sand aquifers. *Groundwater* 29(1):82–92.
- Robillard, P.D. and K.S. Martin. 1990a. Septic Tank Pumping. F-162. Pennsylvania State University, College of Agricultural Sciences-Cooperative Extension, University Park, PA
- Robillard, P.D. and K.S. Martin. 1990b. Preventing On-lot Septic System Failures. SW- 163. Pennsylvania State University, College of Agricultural Sciences-Cooperative Extension, University Park, PA
- Rossman, Lewis A. 2015. Storm Water Management Model User's Manual Version 5.1. EPA/600/R-14/413b. Revised September 2015.
- Rotz, C. A. 2003. Integrated Farm System Model, version 1.1. USDA Agricultural Research Service, University Park, PA. Available at: <http://pswmru.arsup.psu.edu>.
- Ruddy, B., D. Lorenz, and D. Mueller. 2006. County-Level Estimates of Nutrient Inputs to the Land Surface of the Conterminous United States, 1982–2001. USGS. Available online at <http://pubs.usgs.gov/sir/2006/5012/>
- Runkel, R.L., Crawford, C.G., and Cohn, T.A., 2004, Load Estimator (LOADEST): A FORTRAN Program for Estimating Constituent Loads in Streams and Rivers: U.S. Geological Survey Techniques and Methods Book 4, Chapter A5, 69 p.
- Saenger, C., T. Cronin, R. Thunell, and C. Vann. 2006. Modeling river discharge and precipitation from estuarine salinity in the northern Chesapeake Bay: Application to Holocene paleoclimate. *Holocene* 16(4):1–11.
- Salvato, J.A. 1982. Environmental Engineering and Sanitation. 3rd ed. Wiley-Interscience, New York, NY.
- Sandage, L.J., and T.C. Windham. 2000. CE Factsheet Orchardgrass. Cool Season Perennial Grasses Series. Publication : FSA2031-4-00R. Little Rock, Arkansas: Arkansas Cooperative Extension. 2000. Used as general reference.
- Sanders, D.C. 2001. CE Factsheet Cabbage Production. Horticulture Information Leaflet 7. NCSU College of Agriculture & Life Sciences, Department of Horticultural Science. January, 2001. Used with other resources to determine nutrient recommendations and timing for vegetables in WV.
- Sanders, D.C., Davis, J.M. 1998. CE Factsheet Pole Bean Production. Horticulture Information Leaflet 3-A. NCSU College of Agriculture & Life Sciences, Department of Horticultural Science. Used with other resources to determine nutrient recommendations and timing for vegetables in West Virginia.
- Sanford, W. E., Pope J. P., Selnick, D. L., and Stumvoll, R. F., 2012, Simulation of groundwater flow in the shallow aquifer system of the Delmarva Peninsula, Maryland and Delaware: USGS Open-File Report 2012-1140, 58 p.
- Santhi, C., N. Kannan, J.G. Arnold, and M. Di Luzio. 2008. Spatial calibration and temporal validation of flow for regional scale hydrologic modeling. *Journal of the American Water Resources Association* 44(4):829–846.
- Saunders, D. L., and J. Kalff. 2001. Nitrogen retention in wetlands, lakes, and rivers. *Hydrobiologia* 443:205.212.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Schär, Christoph, N. Ban. E.M. Fischer, J. Rajczak, J. Schmidli, C. Frei, F. Giorgi, T.R. Karl, E.J. Kendon, A.M.K. Tank, P.A. O’Gorman, 2016. "Percentile indices for assessing changes in heavy precipitation events." *Climatic Change* pp 1-16.
- Schneiderman, E.M., T.S. Steenhuis, D.J. Thongs, Z.M. Easton, M.S. Zion, A.L. Neal, G.F. Mendoza, M. Todd Walter. 2007. Incorporating variable source area hydrology into a curve-number-based watershed model *Hydrol. Process.*, 21 (2007), pp. 3420–3430
- Schueler, T. 1987. *Controlling Urban Runoff: A Practical Manual for Planning and Designing Urban Best Management Practices*. Metropolitan Washington Council of Governments, Washington, DC.
- Schueler, T. 2007. *Managing Watersheds for Drinking Water*. Center for Watershed Protection. Ellicott City, MD.
- Schueler, T.R. 1992. Design of stormwater wetland systems: guidelines for creating diverse and effective stormwater wetlands in the mid-Atlantic region. Metropolitan Washington Council of Governments, Department of Environmental Programs, Anacostia Restoration Team, Washington, DC.
- Schueler, T.R. 1994. Review of pollution removal performance of stormwater ponds and wetlands. *Watershed Protection Techniques* 1(1):17–18.
- Schultheis, J. 1995. CE Factsheet Growing Pumpkins and Winter Squash. Horticulture Information Leaflet 24. NCSU College of Agriculture & Life Sciences, Department of Horticultural Science. Used with other resources to determine nutrient recommendations and timing for vegetables in West Virginia.
- Schultheis, J. 2000. CE Factsheet Fresh Market Production Cucumbers. Horticulture Information Leaflet 14. NCSU College of Agriculture & Life Sciences, Department of Horticultural Science. Used with other resources to determine nutrient recommendations and timing for vegetables in West Virginia.
- Schultz, T.R., Randall, J.H., Wilson, L.G. and Davis, S.N., 1976. Tracing sewage effluent recharge - Tucson, Arizona. *Groundwater*, 14: 463-470.
- Schwarz, G.E., and R.B. Alexander. 1995. Soils data for the Conterminous United States Derived from the NRCS State Soil Geographic (STATSGO) Database. [Original title: State Soil Geographic (STATSGO) Data Base for the Conterminous United States.] Edition 1.1 Open-File Report 95-449. U.S. Geological Survey, Reston, VA. <<http://water.usgs.gov/lookup/getspatial?ussoils>>. Accessed September 20, 2007.
- Schwarz, G.E., Hoos, A.B., Alexander, R.B., and Smith, R.A., 2006, *The SPARROW Surface Water-Quality Model—Theory, Applications and User Documentation*: U.S. Geological Survey, Techniques and Methods 6–B3, 248 p. and CD –ROM. <http://pubs.usgs.gov/tm/2006/tm6b3/PDF.htm>
- SCS (Soil Conservation Service). 1988. Effects of conservation practices on water quantity and quality. Editor: Soil Conservation Service, Soil Conservation Water Quality Workshop - Integrating Water Quality and Quantity into Conservation Planning, October 1, 1988. U.S. Department of Agriculture, Washington, DC.
- Scudlark, J. R., K. M. Russel, et al. 1996. Dissolved Organic Nitrogen in Precipitation: Collection, Analysis, and Atmospheric Flux. Report to Maryland Department of Natural Resources, Annapolis, MD.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Scudlark, J. R., K. M. Russel, J. N. Galloway, T. M. Church and W. C. Keene. 1998. Organic Nitrogen in Precipitation at the Mid-Atlantic U.S. Coast – Methods Evaluation and Preliminary Measurements Atmospheric Environment 32(10): 1719–1728.
- Scudlark, J.R., and T.M. Church. 1993. Atmospheric Input of Inorganic Nitrogen to Delaware Bay. Estuaries 16(4):747–754.
- Sediment Workgroup—Chesapeake Bay Program. 2005. Sediment in the Chesapeake Bay and Management Issues: Tidal Erosion Processes. <<http://www.chesapeakebay.net/pubs/doc-tidalerosionChesBay.pdf>>. Accessed September 10, 2008.
- Seitzinger, S. P. 1988. Denitrification in freshwater and coastal marine ecosystems: Ecological and geochemical significance. Limnology and Oceanography 33:702-724
- Seitzinger, S. P., R. W. Sanders, and R. Styles. 2002a. Bioavailability of DON from natural and anthropogenic sources to estuarine plankton. Limnology and Oceanography 47: 353–366.
- Seitzinger, S.P., R.V. Styles, E.W. Boyer, R.B. Alexander, G. Billen, R.W. Howarth, B. Mayer, and V.B. Nico. 2002b. Nitrogen retention in rivers: Model development and application to watersheds in the northeastern U.S.A.. Biogeochemistry 57/58:199–237.
- Shaver, E., R. Horner, J. Skupien, C. May, and G. Ridley. 2007. Fundamentals of Urban Runoff Management: Technical and Institutional Issues. North American Lake Management Society, Madison, WI.
- Shenk, G. 2015. Scenario Builder and Watershed Model Progress toward the MPA. Presentation at Modeling Workgroup Conference Call, September 3, 2015.
http://www.chesapeakebay.net/channel_files/22982/2015_09_03_watershed_model_intro_gshenk.pdf
- Shenk, G.W. and Lewis C. Linker 2013. Development and Application of the 2010 Chesapeake Bay Watershed Total Maximum Daily Load Model. Journal of the American Water Resources Association, 49:1042-1056
- Shenk, G., Wu, J., and Linker, L. 2012. "Enhanced HSPF Model Structure for Chesapeake Bay Watershed Simulation." J. Environ. Eng., 138(9), 949–957
- Sievers. M. 2014. Land Use Loading Literature Review Task Summary and Results. Tetra Tech. Fairfax, VA.
- Simpson, T. 2007. Water Quality Steering Committee conference call materials. August 27, 2007, Agricultural, Forest, and Wetland BMP Final Recommendations.
<http://www.chesapeakebay.net/pubs/calendar/WQSC_08-27-07_Handout_3_8824.pdf>.
Accessed September 13, 2007.
- Simpson, T.W., and S. E. Weammert. 2007. The Chesapeake Bay Experience: Learning About Adaptive Management the Hard Way. In Managing Agricultural Landscapes for Environmental Quality: Strengthening the Science Base, ed. M. Schnepf and C. Cox, pp. 159–169. Soil and Water Conservation Society, Ankeny, IA.
- Simpson, T.W., and S.E. Weammert. 2008. Definitions and Effectiveness Estimates for Best Management Practices. <http://www.mawaterquality.org/bmp_reports.htm> Accessed September 10, 2008.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Simpson, T.W., C.A. Musgrove, and R.F. Korcak. 2003. Innovation in Agricultural Conservation for the Chesapeake Bay: Evaluation Progress and Assessing Future Challenges. Scientific and Technical Advisory Committee, Chesapeake Bay Program, Annapolis, MD.
<<http://www.chesapeake.org/stac/stacpubs.html>>. Accessed September 10, 2008.
- Smith, R., G. Schwarz, and R. Alexander. 1997. Regional interpretation of water-quality monitoring data, Water Resources Research, v. 33, no. 12, pp. 2781-2798. Available online at <http://water.usgs.gov/nawqa/sparrow/intro/intro.html>
- Smullen, J.T., J.L. Taft, and J. Macknis. 1982. Nutrient and sediment loads to the tidal Chesapeake Bay system. In U.S. Environmental Protection Agency Chesapeake Bay Program Technical Studies: A Synthesis. Chesapeake Bay Program Office, Annapolis, MD.
- Solley, W.B., R.R. Pierce, and H.A. Perlman. 1998. Estimated use of water in the United States in 1995. U.S. Geological Survey Circular 1200. U.S. Geological Survey, Reston, VA.
- Sprague, L.A., M.J. Langland, S.E. Yochum, R.E. Edwards, J.D. Blomquist, S.W. Phillips, G.W. Shenk, and S.D. Preston. 2000. Factors affecting nutrient trends in major rivers of the Chesapeake Bay Watershed: Richmond, Virginia, Water- Resources Investigations Report 00-4218. U.S. Geological Survey, Reston, VA.
- SRBC (Susquehanna River Basin Commission). 2006. January 1996 Flash Flood in the Susquehanna River. <<http://www.srbc.net/flood96.htm>>. Accessed August 7, 2007.
- STAC, 2011. STAC Report to the Executive Council 2011.
http://www.chesapeake.org/pubs/162_E.C.Krome1990.pdf last accessed 4/2019.
- STAC (Chesapeake Bay Program Scientific and Technical Advisory Committee). 2013. Incorporating Lag-Times Into The Chesapeake Bay Program. STAC Publ. #13-004, Edgewater, MD. 66 pp
- STAC (Chesapeake Bay Program Scientific and Technical Advisory Committee). 2012. The role of natural landscape features in the fate and transport of nutrients and sediment. STAC Rtp. 12-04, Edgewater, MD. 27 pp.
- STAC (Chesapeake Bay Program Scientific and Technical Advisory Committee), 2007. Workshop on Atmospheric Deposition of Nitrogen: Estimating Local Emission Sources, Near-field Deposition, and Fate on the Landscape. May 30, 2007 SUNY Binghamton, Binghamton, NY.
<<http://www.chesapeake.org/stac/AtmosphericNDepositionWorkshop.html>>. Accessed July 16, 2008.
- Staver, K., P. Kleinman, S. Ator, A. Buda, Q. Ketterings, J.T. Sims, and J. Meisinger. 2014. A review of agricultural P-dynamics in the Chesapeake Bay Watershed Model. STAC Publication Number 14-005, Edgewater, MD. 20 pp.
- Staver, K.W., R.B. Brinsfield, and W.L. Magette. 1988. Tillage effects on phosphorus transport from Atlantic coastal plain watersheds. Paper No. 88-2651. In Proceedings of the 1988 American Society of Agricultural Engineers Conference, Chicago, IL.
- Stevenson, J.C., R. Brinsfield, and K. Staver. 1987. Surface runoff and groundwater impacts from agricultural activities in the Chesapeake region. In Proceedings of the U.S. Committee on Irrigation and Drainage, Regional Meeting, Washington, DC, ed. L. Stevens.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Stewart, M.K., McDonnell, J.J., 1991. Modeling base flow soil residence times from deuterium concentrations. *Water Resources Research* 27, 2681-2693.
- Stoddard, J.L., ed. 1994. Long-term changes in watershed retention of nitrogen: Its causes and aquatic consequences. In *Environmental Chemistry of Lakes and Reservoirs*, ed. L.A. Baker. ACS Advances in Chemistry Series No. 237. American Chemical Society, Washington, DC. 83 pp.
- Strahler, A. N. (1957), "Quantitative analysis of watershed geomorphology", *Transactions of the American Geophysical Union*, 38 (6): 913–920, 920, Bibcode:1957 AGU.38..913S; doi:10.1029/tr038i006p00913
- Sun, G., and S. McNulty. 1998. Modeling soil erosion and transport on forest landscape. In *Proceedings of 29th International Conference on Erosion Control Association*, February 16-20 1988, pp. 187-198. Reno, Nevada.
- Sussex Conservation District (Larson, Jen - personal communication). Reporting the results of nutrient analyses for 594 broiler litter samples collected between 2/29/1996-1/4/2005.
- Sweeney, J. 2001. Personal communication of a compilation of nutrient export studies done by the Chesapeake Bay Program Office.
- Szydlowski, S. 2015. Supplemental Agriculture Land Use Loading Data. Report by Water Stewardship, Inc. Annapolis, MD. March 30, 2015.
- Tebaldi, C., K. Hahoe, J.M. Arblaster, and G.A. Meehl. 2006. Going to extremes: An intercomparison of model simulated historical and future changes in extreme events. *Climate Change* 79:185-211.
- Terziotti, S., Capel, P.D., Tesoriero, A.J., Hopple, J.A., and Kronholm, S.C., 2017, Estimates of nitrate loads and yields from groundwater to streams in the Chesapeake Bay watershed based on land use and geology: U.S. Geological Survey Scientific Investigations Report 2017–5160, 20 p.
- Terziotti, Silvia, Hoos, A.B., Harned, D.A., and Garcia, A.M, 2010, Mapping watershed potential to contribute phosphorus from geologic materials to receiving streams, southeastern United States: U.S. Geological Survey Scientific Investigations Map 3102,
- Tetra Tech, Inc. 1999 (September 8). Improving Point Source Loadings Data for Reporting National Water Quality Indicators, Final Report. Final Report. Prepared for: U.S. Environmental Protection Agency, Office of Wastewater Management (OWM). Contract #68-C-0014, Work Assignment 1-31. Tetra Tech, Inc., Fairfax, Virginia.
- Tetra Tech, Inc. 2015. Agriculture and Forest Land Use Loading Rate Literature Review— Summary and Results. Fairfax, VA.
- Thomann, R.V., J.R. Collier, A. Butt, E. Casman, and L.C. Linker. 1994. *Response of the Chesapeake Bay Water Quality Model to Loading Scenarios*. CBP/TRS 101/94. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD.
- Thompson, G.M., Hayes, J.M., and Davis, S.N., 1974. Fluorocarbon tracers in hydrology. *Geophys. Res. Lett.*, 1: 177-180.
- Tidewater Agricultural Research and Extension Center. 2001. 2001 Soybean Production Guide. Info Series No. 408. Virginia Cooperative Extension Blacksburg, VA.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Tinker, P.B., and P.H. Nye. 2000. Solute movement in the rhizosphere. In Topics in Sustainable Agronomy (series), ed. R. La, P. Sanchez, M. Summer, M.E. Swisher, P.B. Tinker, and R.E. White. Oxford University Press, New York. 444 pp. ISBN 0-19-512492-8.
- Titus, J. 1998. Rising Seas, Coastal Erosion and the Taking Clause: How to Save Wetlands and Beaches without Hurting Property Owners. Maryland Law Review 57(4):1281–1399.
- Todd, A. H. 2002. Nutrient Load Removal Efficiencies for Riparian Buffers and Wetland Restoration. Forestry Workgroup, Chesapeake Bay Program, Annapolis, MD.
- Torrice, C. 2001. CE Factsheet. Blueberry Production Summary - 2001. Cornell Cooperative Extension <<http://www.hort.cornell.edu/extension/commercial/fruit/Newsletters/BLUEJO.htm>>. Accessed July 10, 2008.
- Torrice, C. 2001. CE Factsheet. Raspberry Production Summary - 2001. Cornell Cooperative Extension <<http://www.hort.cornell.edu/extension/commercial/fruit/Newsletters/Raspjo1.htm>>. Accessed July 10, 2008.
- Torrice, C. 2001. CE Factsheet. Strawberry Production Summary - 2001. Cornell Cooperative Extension <<http://www.hort.cornell.edu/extension/commercial/fruit/Newsletters/strawjo.htm>>. Accessed July 10, 2008.
- Trenberth, Kevin E., A. Dai, R.M. Rasmussen, D.B. Parsons, 2003. "The changing character of precipitation." Bulletin of the American Meteorological Society 84:9 pp 1205-1217.
- Trenberth, Kevin E., 2011. Changes in precipitation with climate change. Climate Research 47:1-2 pp
- Trimble, S.W. 1997. Contribution of stream channel erosion to sediment yield from an urbanizing watershed. Science 278:1442–1444.
- Trimble, S.W. 1999. Decreased rates of alluvial sediment storage in the Coon Creek Basin, Wisconsin, 1975-93. Science 285:1244–1246.
- Trimble, S.W., and P. Crisson. 2000. U.S. soil erosion rates—Myth and reality. Science Magazine 289 (5477):248–250. 289 (5477): 248-250.
- Tyler, M., 1988. Contribution of atmospheric nitrate deposition to nitrate loading in the Chesapeake Bay. VERSAR Inc. Maryland Department of Natural Resources. Report RP1052.
- U.S. Army Corps of Engineers. 2002. Coastal Engineering Manual. 1110-2-1100. U.S. Army Corps of Engineers, Vicksburg, MS
- U.S. Census Bureau, Economics and Statistics Administration. 1982. U.S. Department of Commerce. 1982 Census of Agriculture. (Geographic Area Series 1C). Government Printing Office, Washington, DC.
- U.S. Census Bureau, Economics and Statistics Administration. 1987. U.S. Department of Commerce. 1987 Census of Agriculture. (Geographic Area Series 1C). Government Printing Office, Washington, DC.
- U.S. Census Bureau, Economics and Statistics Administration. 1992. U.S. Department of Commerce. 1992 Census of Agriculture. (Geographic Area Series 1C). Government Printing Office, Washington, DC.
- US Census Bureau. (2010). 2010 FIPS Codes for Counties and County Equivalent Entities. <https://www.census.gov/geo/reference/codes/cou.html>. Accessed December 20, 2016.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- U.S. Census Bureau, Geography Division. 2003. Federal information processing standards (FIPS) codes. <<http://www.census.gov/geo/www/fips/fips.html>>. Accessed January 11, 2005.
- U.S. Census Bureau, Geography Division. 2004. Significant changes to counties and county equivalent entities: 1970-present. <<http://www.census.gov/geo/www/tiger/ctychng.html>>. Accessed November 19, 2004.
- U.S. Department of Agriculture - State Soil Geographic (STATSGO) Data Base - Data Use Information. United States Department of Agriculture, Natural Resources Conservation Service, National Soil Survey Center, Miscellaneous Publication Number 1492.
- U.S. Department of Agriculture-Economic Research Service. Table. Table 18-Cigar Tobacco, Types 41-61: Domestic Supplies, Disappearance, and Season Average Prices, 1991-2001 (Farm-Sales Weight). English. <www.ers.usda.gov/briefing/tobacco/Data/table18.pdf>. Accessed December 29, 2010.
- U.S. Department of Agriculture-National Agricultural Statistics Service. Agronomy Handbook. Usual Planting and Harvesting Dates for U.S. Field Crops. Agricultural Handbook, Number 628. USDA. December 1997. Used to supplement information on planting and harvest dates for field crops in all states.
- U.S. Department of Agriculture-National Agricultural Statistics Service. Census. 1997 Census of Agriculture. Volume 1, Geographic Area Series (CD ROM). Washington, D.C.: USDA. 1999.
- U.S. Department of Agriculture-National Agricultural Statistics Service. Census. 2002 Census of Agriculture. Volume 1, Geographic Area Series (CD ROM). Washington, D.C.: USDA. 2004.
- U.S. Department of Agriculture-National Agricultural Statistics Service. Census. 2007 Census of Agriculture. Volume 1, Geographic Area Series (CD ROM). Washington, D.C.: USDA. 2009.
- U.S. Department of Agriculture-National Agricultural Statistics Service. Census. 2012 Census of Agriculture. Volume 1, Geographic Area Series (CD ROM). Washington, D.C.: USDA. 2014.
- U.S. Department of Agriculture-Statistical Reporting Service. Usual Planting and Harvesting Dates for Fresh Market and Processing Vegetables. Agriculture Handbook No. 507. Washington, D.C.: USDA. February, 1977. Used to supplement planting and harvesting dates for vegetables in all states where necessary.
- Union of Concerned Scientists. 2006. Climate Change in the U.S. Northeast. Union of Concerned Scientists Publications, Cambridge, MA.
- University of Delaware. Agronomy Handbook. 1996. Nutrient Management Handbook for Delaware. Cooperative Bulletin No. 59. Newark, DE: April 1996. Used to determine total nutrient recommendations and amounts in each application for grain and forage crops, vegetables and berries in DE. Also used to determine application timing.
- University of Maryland Cooperative Extension. 2000. Nutrient Recommendations by Crop. Maryland Nutrient Management Manual. Regulatory Citation: COMAR 15.20.08.05. September, 2000.
- University of Maryland Cooperative Extension, 2009. Ammonium Conservation Coefficients. Published in 2009. Available at:
https://extension.umd.edu/sites/extension.umd.edu/files/images/programs/anmp/ammonium_cons_factors.pdf.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- University of Maryland Cooperative Extension, 2011. Mineralization Rates for Organic Nutrient Sources: July, 2011 Update. Agricultural Nutrient Management Program, Department of Environmental Science and Technology, University of Maryland Extension. College Park, MD. July, 2011. [https://extension.umd.edu/sites/default/files/_images/programs/anmp/Mineralization_rates_organic_sources_07-11%20\(3\).pdf](https://extension.umd.edu/sites/default/files/_images/programs/anmp/Mineralization_rates_organic_sources_07-11%20(3).pdf)
- Upper Susquehanna Coalition, U.S. Geological Survey, U.S. Department of Agriculture, and Natural Resources Conservation Service. 2002. 11 digit hydrologic unit code - watershed boundaries for Upper Susquehanna River Watershed. Upper Susquehanna Coalition. <http://www.u-s-c.org/html/GIS_Data.htm>. Accessed January 27, 2005.
- USDA, 2015. Quick Stats re: annual crop yield and acres. United States Department of Agriculture, 2014.
- USDA-NASS, 2014. Poultry Production and Value. United States Department of Agriculture's National Agricultural Statistics Service. Updated, April, 2014. <http://usda.mannlib.cornell.edu/MannUsda/viewDocumentInfo.do?documentID=1130>
- USDA-NRCS United States Department of Agriculture, Natural Resources Conservation Service. 2003. Costs Associated with Development and Implementation of Comprehensive Nutrient Management Plans. June, 2003.
- USDA-NRCS 2011. Assessment of the Effects of Conservation Practices on Cultivated Cropland in the Chesapeake Bay Region. 158 pages. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb1042076.pdf
- USDA-NRCS. United States Department of Agriculture, Natural Resources Conservation Service. 2013. Impacts of Conservation Adoption on Cultivated Acres of Cropland in the Chesapeake Bay Region, 2003-06 to 2011. 113p.
- USDA-NRCS (U.S. Department of Agriculture–Natural Resources Conservation Service). 1983. Sediment sources, yields, and delivery ratios. Chapter 6 in National Engineering Handbook, Section 3, Sedimentation. U.S. Department Agriculture, Natural Resources Conservation Service formerly Soil Conservation Service (SCS), 6.2-6.19. U.S. Government Printing Office, Washington, DC.
- USDA-NRCS United States Department of Agriculture-Natural Resources Conservation Service, the United States Geological Survey (USGS), and the Environmental Protection Agency (EPA). 2015 Watershed Boundary Dataset (WBD). Available URL: "<http://nhd.usgs.gov/wbd.html>" [Accessed 2/2016].
- U.S. Army Corps of Engineers and Maryland Department of the Environment, 2015. *Lower Susquehanna River Watershed Assessment, Maryland and Pennsylvania*. USACE, Baltimore District, May 2015.
- U.S. Army Corps of Engineers. 1999. *Ice Events in the Susquehanna River Basin*. U.S. Army Cold Regions Research and Engineering Laboratory, Hanover, New Hampshire. . Ice Engineering Information Exchange Bulletin No. 21. April 1999
- USEPA (U.S. Environmental Protection Agency). 1983. *Chesapeake Bay: A Framework for Action*. U.S. Environmental Protection Agency, Chesapeake Bay Program Office Annapolis, MD.
- USEPA (U.S. Environmental Protection Agency). 1987. *A Steady State Coupled Hydrodynamic/Water Quality Model of the Eutrophication and Anoxic Process in the Chesapeake Bay*. Work Assignment

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Number 40 EPA Contract Number 68-03-3319. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD.
- USEPA (U.S. Environmental Protection Agency). 1990, November 9. Letter to Aqua Terra Consultants from U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD.
- USEPA (U.S. Environmental Protection Agency). 1994. The U.S. EPA Reach File Release 3.0 alpha release (RF3-Alpha) Technical Reference. <<http://www.epa.gov/waters/doc/techref.html>>. Accessed November 16, 2004.
- USEPA (U.S. Environmental Protection Agency). 1996. USEPA Reach File version 1.0 (RF1) for the conterminous United States (CONUS). <http://www.epa.gov/waters/doc/rf1_meta.html#Identification>. Accessed November 16, 2004.
- USEPA (U.S. Environmental Protection Agency). 1998. Chesapeake Bay Watershed Model Application and Calculation of Nutrient and Sediment Loadings. Appendix F: Point Source Loadings. EPA 903-R-98-014 CBP/TRS 207/98. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD. <http://www.chesapeakebay.net/content/publications/cbp_12313.pdf>. Accessed February 29, 2008.
- USEPA (U.S. Environmental Protection Agency). 1999. Science Algorithms of the EPA Models-3 Community Multiscale Air Quality (CMAQ) Modeling System. EPA/600/R-99/030 <<http://www.epa.gov/asmdnerl/CMAQ/CMAQscienceDoc.html>>. Accessed December 29, 2010.
- USEPA (U.S. Environmental Protection Agency). 2000a. BASINS Technical Note 6: Estimating Hydrology and Hydraulic Parameters for HSPF. EPA-823-R-00-012. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2000b. Chesapeake Bay Point Source Annual Data Report 2000. Model 4.2 and 4.3 Data Compiling Description: 1998, 2000, Tributary Strategy, 2005, 2010, and 2005 LOT. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD
- USEPA (U.S. Environmental Protection Agency). 2000c. Stormwater Phase II Compliance Assistance Guide. Office of Water EPA 833-R-00-002. Washington, DC. <<http://www.epa.gov/npdes/pubs/comguide.pdf>>. Accessed August 23, 2007.
- USEPA (U.S. Environmental Protection Agency). 2000d. *Submerged Aquatic Vegetation Water Quality and Habitat-Based Requirements and Restoration Targets*. CBP/TRS 245/00 EPA 903-R-00-014. <<http://www.chesapeakebay.net/pubs/sav/index.html>>. December 2000. Accessed August 3, 2007.
- USEPA (U.S. Environmental Protection Agency), 2003a. *Ambient Water Quality Criteria for Dissolved Oxygen, Water Clarity and Chlorophyll a for the Chesapeake Bay and Its Tidal Tributaries*. EPA 903-R-03-002. U.S. Environmental Protection Agency, Region 3, Chesapeake Bay Program Office, Annapolis, MD. <http://www.chesapeakebay.net/content/publications/cbp_13142.pdf>. Accessed November 1, 2010.
- USEPA (U.S. Environmental Protection Agency). 2003b. Technical Support Document for identification of Chesapeake Bay Designated Uses and Attainability. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD. <<http://www.chesapeakebay.net/uasupport.htm>>. Accessed November 1, 2010.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- USEPA (U.S. Environmental Protection Agency), 2003c. *Setting and Allocating the Chesapeake Bay Basin Nutrient and Sediment Loads, the Collaborative Process, Technical Tools and Innovative Approaches*. U.S. Environmental Protection Agency, Region 3, Chesapeake Bay Program Office, Annapolis, MD.
- USEPA (U.S. Environmental Protection Agency), 2004. *Technical Support Document for Identification of Chesapeake Bay Designated Uses and Attainability–2004 Addendum*. EPA 903-R-04-006. U.S. Environmental Protection Agency, Region 3 Chesapeake Bay Program Office, Annapolis, MD.
- USEPA (U.S. Environmental Protection Agency). 2005. National Management Measures to Control Nonpoint Source Pollution from Urban Areas (November 2005, EPA-841-B-05-004). Washington, D.C. <<http://www.epa.gov/nps/urbanmm/>>. Accessed September 20, 2007.
- USEPA (U.S. Environmental Protection Agency). 2006a. Chesapeake Bay Program Grant Guidance. Attachment 6: Point Source and Nonpoint Source Data Submission Specifications and Requirements. <<http://www.epa.gov/region3/chesapeake/grants.htm>>. Accessed February 29, 2008.
- USEPA (U.S. Environmental Protection Agency). 2006b. Sediment Parameter and Calibration Guidance for HSPF. Basins Technical Note 8. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2007. Development Growth Outpacing Progress in Watershed Efforts to Restore the Chesapeake Bay. Office of Inspector General, Report No. 2007-P-00031. U.S. Environmental Protection Agency, Washington, D.C.
- USEPA (U.S. Environmental Protection Agency). 2009. BASINS 4.0 Climate Assessment Tool (CAT): Supporting Documentation and Users Manual (Final Report). EPA/600/R-08/088F. U.S. Environmental Protection Agency, Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2010a. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-01. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 1: Watershed Model Overview. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-02. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 2: Meteorology and Precipitation. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-03. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 3: Land and River Segmentation. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-04. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 4: Land Use. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-05. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 5: Nonpoint Source Input. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- USEPA (U.S. Environmental Protection Agency). 2010a-06. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 6: Best Management Practices. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-07. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 7: Point Sources, Water Withdraws, and On-site Waste Disposal Systems. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-08. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 8: Hydrology Simulation. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-09. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 9: Sediment Simulation. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-10. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 10 Nonpoint Source Simulation U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-11. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 11: Riverine Simulation U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-12. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 12 Key Scenarios and Findings U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010a-13. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. Section 13 Community Model. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.
- USEPA (U.S. Environmental Protection Agency). 2010b. Estimates of County-Level Nitrogen and Phosphorus Data for Use in Modeling Pollutant Reduction: Documentation For Scenario Builder Version 2.2. CBP/TRS 903R100004 Bin # 304, U.S. Environmental Protection Agency Chesapeake Bay Program Office, Annapolis MD.
<http://archive.chesapeakebay.net/pubs/sb_documentation_final_v22_9_16_2010.pdf>. Accessed December 29, 2010.
- USEPA (U.S. Environmental Protection Agency). 2010c. Chesapeake Bay Total Maximum Daily Load for Nitrogen, Phosphorus, and Sediment. USEPA, Philadelphia, PA < <https://www.epa.gov/chesapeake-bay-tmdl/chesapeake-bay-tmdl-document>>. Accessed 1/8/2016
- USEPA (U.S. Environmental Protection Agency). 2013, Watershed Modeling to Assess the Sensitivity of Streamflow, Nutrient, and Sediment Loads to Potential Climate Change and Urban Development in 20 U.S. Watersheds (Final Report). U.S. Environmental Protection Agency, Washington, DC, EPA/600/R-12/058F, 2013.
- USGS (U.S. Geological Survey). 1980. Physiographic Provinces of Virginia: prov2m_ugs, GIS polygon coverage, 1:2,000,000 scale. USGS (U.S. Geological Survey). 1993. 1:100,000-scale counties of the

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- United States, Edition 1.1. <<http://water.usgs.gov/lookup/getspatial?county100>>. Accessed November 16, 2004.
- USGS (U.S. Geological Survey). 1996. METCMP: Computation of Meteorological Time Series. METCMP, Version 2.2 1996/03/01, U.S. Geological Survey, K. Flynn, Hydrologic Analysis Software Support Team, Reston, VA.
- USGS (U.S. Geological Survey). 2001. National Elevation Dataset. <<http://ned.usgs.gov/>>. Accessed November 16, 2004.
- USGS (U.S. Geological Survey). 2004a. Digital Raster Graphics. <<http://topomaps.usgs.gov/drg/>>. Accessed January 11, 2005.
- USGS (U.S. Geological Survey). 2004b. Hydrologic Unit Maps. <<http://water.usgs.gov/GIS/huc.html>>. Accessed January 11, 2005.
- USGS (U.S. Geological Survey). 2006. Changes in Streamflow and Water Quality in Selected Nontidal Basins in the Chesapeake Bay Watershed, 1985–2004. Scientific Investigations Report 2006-5178. U.S. Geological Survey, Reston, VA.
- USGS (U.S. Geological Survey). 2007. National Water Information System Web Site. <<http://waterdata.usgs.gov/nwis>>. Accessed August 8, 2007.
- Vadas, P.A., L.W. Good, P.A. Moore Jr, and N. Widman. 2009 Estimating Phosphorus Loss in Runoff from Manure and Fertilizer for a Phosphorus Loss Quantification Tool. *J. Environ. Qual.* 38:1645–1653. doi:10.2134/jeq2008.0337.
- Vadas, P. 2014. Annual Phosphorus Loss Estimator - Theoretical Documentation (Version 2.4). Available online at <http://ars.usda.gov/Services/docs.htm?docid=21763>
- Van Liew, M.W., C.S. Wortmann, D.N. Moriasi, K.W. King, D.C. Flanagan, T.L. Veith, G.W. McCarty, D.D. Bosch, and M.D. Tomer. Evaluating the APEX Model for Simulation Streamflow and Water Quality on Ten Agricultural Watersheds in the U.S. *Transactions of the ASABE* 60(1):123-146.
- Van Sickle, J., and R.L. Beschta. 1983. Supply-based models of suspended sediment transport in streams. *Water Resources Research* 19(3):768–778
- Verbree, D.A., S.W. Duiker, P.J.A. Kleinman. 2010. Runoff Losses of Sediment and Phosphorus from No-Till and Cultivated Soils Receiving Dairy Manure. *J. Environ. Qual.* 39:1762–1770 (2010) doi:10.2134/jeq2010.0032
- Verma, S., Bhattarai, R., Bosch, N. S., Cooke, R. C., Kalita, P. K., & Markus, M. 2015. Climate change impacts on flow, sediment and nutrient export in a Great Lakes watershed using SWAT. *CLEAN–Soil, Air, Water*, 43(11), 1464-1474.
- Virginia Cooperative Extension. Agronomy Handbook. Publication Number 424-100. Blacksburg, VA: 2000. Used to determine planting & harvesting dates for grain and forage crops and tobacco in VA, MD, WV and DE. Also used to determine nutrient totals and amounts of nutrients, as well as application timing in each application for VA.
- Virginia Cooperative Extension. CE Factsheet. 1997. Nitrogen and Phosphorus Fertilization of Corn. Publication Number 424-027. Blacksburg, VA: Virginia Cooperative Extension. April 1997.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Virginia Cooperative Extension. Production Guide. 1999. 1999 Commercial Vegetable Production Recommendations. Publications No. 456-420. Blacksburg, VA: Virginia Cooperative Extension. Used to determine nutrient recommendations for vegetables and potatoes in VA.
- Virginia Department of Conservation and Recreation—DSWC. 1995. Virginia's 14 digit hydrologic unit boundaries. 2nd ed. Virginia Department of Conservation and Recreation—DSWC, Richmond, VA.
- Virginia Nutrient Management Standards and Criteria – Revised. 2005. Virginia Department of Conservation and Recreation, Division of Soil and Water Conservation.
- Virginia Soil and Water Conservation Board, 2014. Nutrient Management Training and Certification Regulations. 4VAC50-85
- Virginia Tech Department of Crop and Soil Environmental Sciences. 1997. Training Manual. Chesapeake Bay Nutrient Management Training Manual. Blacksburg, VA:
<http://www.chesapeakebay.net/content/publications/cbp_12303.pdf>. Accessed December 29, 2010. Used as general reference.
- Virginia Wetlands Report. Summer 2004 Vol. 19, No. 2
- Wainger, L., 2016. STAC Letter to CBP re: Climate Change Workshop Report. STAC.
http://www.chesapeake.org/pubs/361_Wainger2016.pdf last accessed 4/2019.
- Walling, D.E. 1983. The sediment delivery problem. *Journal of Hydrology* 65:209–237.
- Walter, R.C., and J.D. Merritts. 2008. Natural streams and the legacy of water-powered mills. *Science* 319(18):299–304.
- Walter, R.C., J.D. Merritts, and M. Rahnis. 2007. Estimating Volume, Nutrient Content, and Rates of Stream Bank Erosion of Legacy Sediment in the Piedmont and Valley and Ridge Physiographic Provinces, Southeastern and Central Pennsylvania. Pennsylvania Department of Environmental Protection, Harrisburg, PA.
- Ward E.S., and Pope, J.P., 2013. Quantifying Groundwater's Role in Delaying Improvements to Chesapeake Bay Water Quality, *Environmental Science & Technology*, 47 (23), 13330-13338
- Wang, H.V., and B.J. Johnson. 2000. Validation and application of the second Generation three dimensional hydrodynamic model of Chesapeake Bay. *Water Quality and Ecosystem Modeling* 1(1–4):51–90.
- Wang, L., Flanagan, D. C., Wang, Z., & Cherkauer, K. A. 2018. Climate Change Impacts on Nutrient Losses of Two Watersheds in the Great Lakes Region. *Water*, 10(4), 442.
- Wang, P., L.C. Linker, and J.M. Storrick. 1997. Chesapeake Bay Watershed Model Application & Calculation of Nutrient & Sediment Loading, Appendix D: Precipitation & meteorological data development & atmospheric nutrient deposition. EPA903-R-97-022, CBP/TRS 181/97. U.S. Environmental Protection Agency, Washington, DC.
- Wang, P., L.C. Linker, and K.N. Eshleman. 2003. Dynamic parameterization to simulate DIN export due to gypsy moth defoliation. In Sloot, P.M.A., D. Abramson, A.V. Bogdanov, J.J. Dongarra, A.Y. Zomaya, Y.E. Gorbachev eds., *Lecture Notes in Computer Science* 2659:30-38

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Warner, J. X., R. R. Dickerson, Z. Wei, L. L. Strow, Y. Wang, and Q. Liang (2017), Increased atmospheric ammonia over the world's major agricultural areas detected from space, *Geophys. Res. Lett.*, 44, 2875–2884, doi:10.1002/2016GL072305.
- Weller, D. E., B. Benham, M. Friedrichs, R. Najjar, M. Paolisso, P. Pascual, G. Shenk, and K. Sellner. 2013. Multiple Models for Management in the Chesapeake Bay. STAC Publication Number 14-004, Edgewater, MD. http://www.chesapeake.org/pubs/324_Weller2014.pdf
- West Virginia Department of Agriculture, Nutrient management Laboratory (Matthew Sites). Results of nutrient analyses for 1,334 poultry litter samples, from broiler, layer and pullets and turkeys.
- West Virginia Extension Service Nutrient/Waste Management.
<<http://www.wvu.edu/~agexten/wastmang/index.html>>. Accessed December 29, 2010.
- West Virginia University Extension Service. Soil Resources Fact Sheet. 1990. Used to determine total nutrient application amounts and amounts and timing of individual applications for grain and forage crops in WV. June 1990
- Wetzel, R.L., and H.A. Neckles. 1986. A model of *Zostera marina* L. photosynthesis and growth: Simulated effects of selected physical-chemical variables and biological interactions. *Aquatic Botany* 26(3–4):307–323.
- Wieczorek, M., and A. LaMotte. 2010a. Attributes for NHDPlus Catchments (version 1.1) for the Conterminous United States: Average Atmospheric (Wet) Deposition of Inorganic Nitrogen, 2002. USGS. Available online at http://water.usgs.gov/GIS/metadata/usgswrd/XML/nhd_atdep.xml
- Wieczorek, M., and A. LaMotte. 2010b. Attributes for NHDPlus Catchments (version 1.1) for the Conterminous United States: Nutrient Inputs from Fertilizer and Manure, Nitrogen and Phosphorus (N&P), 2002. USGS. Available online at http://water.usgs.gov/GIS/metadata/usgswrd/XML/nhd_nutrients.xml
- Wieczorek, M., and A. LaMotte. 2010c. Attributes for NHDPlus Catchments (version 1.1) for the Conterminous United States: Nutrient Application (phosphorus and nitrogen) for Fertilizer and Manure Applied to Crops, 2002. USGS. Available online at http://water.usgs.gov/GIS/metadata/usgswrd/XML/nhd_cropsplit02.xml
- Wiegner, T.N., S.P. Seitzinger, P.M. Glibert, and D.A. Bronk. 2006. Bioavailability of dissolved organic nitrogen and carbon from nine rivers in the eastern United States. *Aquatic Microbial Ecology* 43:277–287.
- Willard, D.A., T.M. Cronin, and S. Verardo. 2003. Late-holocene climate and ecosystem history from Chesapeake Bay sediment cores, USA. *Holocene* 13(2):201–214.
- Williams, J. R., R. C. Izaurralde, and E. M. Steglich. 2008. Agricultural Policy/Environmental eXtender Model: Theoretical documentation version 0604. BREC Report # 2008-17. Temple, TX: Texas AgriLife Research, Texas A&M University, Blackland Research and Extension Center. Available at: <http://epicapex.brc.tamus.edu/downloads/user-manuals.aspx>. Accessed 31 January 2010.
- Wilson, C., P. Wallbrink, and A. Murray. 1999. Minimum Impact Logging Systems in Forest Erosion. Part A: Impact of logging and Natural Fires on Runoff and Soil Loss in Erodible Granite Terrain, Northeast Tasmania. Technical Report 19/99. Commonwealth Scientific and Industrial Research Organization (CSIRO) Land and Water, Canberra, Australia.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

- Wolock, D.M., 2003, Estimated mean annual natural ground-water recharge in the conterminous United States: U.S. Geological Survey Open-File Report 03–311, digital data set, available on World Wide Web at URL <http://water.usgs.gov/lookup/getspatial?rech48grd>
- World Meteorological Organization.2010. Guide to Meteorological Instruments and Methods of Observation, Appendix 4B, WMO-No. 8 (CIMO Guide). Geneva, Switzerland.
http://library.wmo.int/pmb_ged/wmo_8_en-2012.pdf
- Wortmann, Charles; Helmers, Matthew J.; Mallarino, Antonio P.; Barden, Charles; Devlin, Daniel; Pierzynski, Gary; Lory, John; Massey, Ray; Holz, John; Shapiro, Charles; and Kovar, John L., 2005. "Agricultural Phosphorus Management and Water Quality Protection in the Midwest". *Agriculture and Environment Extension Publications*. RP187 (July 2013 revision).
http://lib.dr.iastate.edu/extension_ag_pubs/16
- Xia, Y., K. Mitchell, M. Ek, J. Sheffield, B. Cosgrove, E. Wood, L. Luo, C. Alonge, H. Wei, J. Meng, B. Livneh, D. Lettenmaier, V. Koren, Q. Duan, K. Mo, Y. Fan, and D. Mocko. 2012. Continental-scale water and energy flux analysis and validation for the North American Land Data Assimilation System project phase 2 (NLDAS-2): 1. Intercomparison and application of model products. *Journal of Geophysical Research* 117: <http://onlinelibrary.wiley.com/doi/10.1029/2011JD016048/epdf>
- Yagow, E.R., Shanholtz, V.O., Julian, B.A., and Flagg, J.M. (1988) A water quality module for CAMPS. Paper presented at the International Winter Meeting of the ASAE, Chicago, Illinois, December 13-16 1988. Chicago, Illinois
- Yagow, E.R., A. Collick, M. Ribaudo, W. Thomason, T. Veith. 2017. Scientific and Technical Advisory Committee Review of Nutrient Input Estimation for the Chesapeake Bay Watershed Model. STAC Review Report. October 2016. STAC Publication 16-005
- Yocum, J. CE Factsheet. Guide for the Production of Pennsylvania Tobacco. Special Circular 264. File No. IVC 6M380 U.Ed. 80-479. Pennsylvania State University, University Park, PA.
- Yocum, J., and E. Hatley. 2000. Pennsylvania Soybean Performance Report. University Park, PA: Penn State College of Agricultural Sciences, Cooperative Extension. Used to supplement planting and harvesting dates of soybeans in Pennsylvania.
- Zhang, Q., D.C. Brady, and W.P. Ball, 2013. Long-term Seasonal Trends of Nitrogen, Phosphorus, and Suspended Sediment Load from the Non-tidal Susquehanna River Basin to Chesapeake Bay, *Science of the Total Environment*, 452–453: 208–221. doi: 10.1016/j.scitotenv.2013.02.012.
- Zhang, Q., Brady, D.C., Boynton, W., Ball, W.P., 2015. Long-term trends of nutrients and sediment from the nontidal Chesapeake Watershed: an assessment of progress by river and season. *J. Am. Water Resour. Assoc.* 51 (6), 1534–1555. <http://dx.doi.org/10.1111/1752-1688.12327>.
- Zhang, Q. 2016. Quantifying Nutrient and Sediment Export from the Chesapeake Bay Watershed: Retrospective Analyses and Method Improvements. Johns Hopkins University, Baltimore, MD. Submitted July 2017
- Zhang, Q., R.M. Hirsch, and W. Ball. 2016a. Long-Term Changes in Sediment and Nutrient Delivery from Conowingo Dam to Chesapeake Bay: Effects of Reservoir Sedimentation. *Environmental Science & Technology* 50(4): 1877-1886.

Chesapeake Bay Program Phase 6 Watershed Model – Section 14 – References
Final Model Documentation for the Midpoint Assessment – 4/1/2018

Zhang, Q., W.P. Ball, and D.L. Moyer. 2016b. Decadal-scale Export of Nitrogen, Phosphorus, and Sediment from the Susquehanna River Basin, USA: Analysis and Synthesis of Temporal and Spatial Patterns. *Science of the Total Environment* 563-564: 1016-1029.

Zhang, Q., Harman, C.J., Ball, W.P., 2016c. An Improved Method for Interpretation of Riverine Concentration-Discharge Relationships Indicates Long-Term Shifts in Reservoir Sediment Trapping. *Geophys. Res. Lett.* 43 (19), 10215–10224. <http://dx.doi.org/10.1002/2016GL069945>